

**BAYNE-JONES ARMY
OUTPATIENT FORMULARY**

Alphabetical Listing by Name

This document is current as of October 10, 2021
The availability of formulary items is subject to change.

This file may not contain the most up to date information.
Contact Pharmacy at 531-8090 for further information/questions.

ACARBOSE

Acarbose

Outpatient Dosage Forms

Tablet, oral: 50 mg, 100 mg

Acetaminophen

Outpatient Formulary Brands Available Mapap® Extra Strength [OTC]

Outpatient Dosage Forms

Caplet, oral:

Mapap® Extra Strength: 500 mg [scored]

Solution, oral: 160 mg/5 mL (20 mL)

Suspension, oral: 160 mg/5 mL (5 mL)

Tablet, oral: 325 mg

Acetaminophen and Codeine

Outpatient Dosage Forms

Solution, oral [C-V]: Acetaminophen 120 mg and codeine phosphate 12 mg per 5 mL (5 mL, 10 mL, 12.5 mL, 15 mL, 118 mL, 473 mL) [BCF]

Tablet, oral [C-III]: Acetaminophen 300 mg and codeine phosphate 30 mg [BCF]

Acetaminophen and Tramadol

Outpatient Dosage Forms

Tablet, oral: Acetaminophen 325 mg and tramadol hydrochloride 37.5 mg

AcetaZOLAMIDE

Outpatient Dosage Forms

Injection, powder for reconstitution: 500 mg

Tablet, oral: 250 mg

Acetic Acid and Hydrocortisone

Outpatient Formulary Brands Available Acetasol® HC

Outpatient Dosage Forms

Solution, otic [drops]: Acetic acid 2%, propylene glycol diacetate 3%, and hydrocortisone 1% (10 mL)

Acetasol® HC: Acetic acid 2%, propylene glycol diacetate 3%, and hydrocortisone 1% (10 mL) [contains benzethonium chloride]

Acetic Acid (Otic)

Outpatient Dosage Forms

Solution, Otic:

Generic: 2% (15 mL)

Acetic Acid (Topical)

Outpatient Dosage Forms

Solution, for irrigation [preservative free]: 0.25% (1000 mL)

Acetylcholine

Outpatient Formulary Brands Available Miochol®-E

Outpatient Dosage Forms

Powder for solution, intraocular, as chloride:

Miochol®-E: 20 mg (2 mL) [supplied with diluent; reconstitution results in 1:100 solution]

Acyclovir (Systemic)

Outpatient Dosage Forms

Capsule, oral: 200 mg [BCF]

Injection, powder for reconstitution, as sodium [strength expressed as base]: 500 mg

Suspension, oral: 200 mg/5 mL (473 mL) [BCF]

Tablet, oral: 400 mg [BCF], 800 mg [BCF]

Acyclovir (Topical)

Outpatient Formulary Brands Available Zovirax

Outpatient Dosage Forms

Cream, External:

Generic: 5% (5 g)

Ointment, External:

Zovirax: 5% (15 g)

Adalimumab

Outpatient Dosage Forms

Pen-injector Kit, Subcutaneous [preservative free]:

Humira Pen: 40 mg/0.8 mL (1 ea); 40 mg/0.4 mL (1 ea) [contains polysorbate 80]

Albendazole

Outpatient Dosage Forms

Tablet, oral:

Albenza®: 200 mg

Albuterol

Outpatient Formulary Brands Available Proventil® HFA; Ventolin® HFA

Outpatient Dosage Forms

Aerosol, for oral inhalation:

Proventil® HFA: 90 mcg/inhalation (6.7 g) [chlorofluorocarbon free; 200 metered actuations] [BCF]

Ventolin® HFA: 90 mcg/inhalation (18 g) [chlorofluorocarbon free; 200 metered actuations] [BCF]

Solution, for nebulization: 0.083% [2.5 mg/3 mL] (25s, 30s, 60s) [BCF]; 0.5% [100 mg/20 mL] (1s)

Alendronate

Outpatient Formulary Brands Available Fosamax®

Outpatient Dosage Forms

Tablet, oral: 5 mg [BCF], 10 mg [BCF], 35 mg [BCF], 70 mg [BCF]

Fosamax®: 5 mg [BCF], 10 mg [BCF], 35 mg [BCF], 70 mg [BCF]

Alendronate and Cholecalciferol

Outpatient Formulary Brands Available Fosamax Plus D

Outpatient Dosage Forms

Tablet, oral:

Fosamax Plus D: 70/2800: Alendronate 70 mg and cholecalciferol 2800 int. units

Fosamax Plus D: 70/5600: Alendronate 70 mg and cholecalciferol 5600 int. units

Alfuzosin

Outpatient Formulary Brands Available Uroxatral®

Outpatient Dosage Forms

Tablet, extended release, oral, as hydrochloride: 10 mg [BCF]

Uroxatral®: 10 mg [BCF]

Allopurinol

Outpatient Dosage Forms

Tablet, oral: 100 mg [BCF], 300 mg [BCF]

ALPRAZolam

Outpatient Formulary Brands Available Xanax®

Outpatient Dosage Forms

Tablet, oral: 0.25 mg

Xanax®: 0.5 mg, 1 mg [scored]

Aluminum Acetate and Acetic Acid

Outpatient Dosage Forms

Solution, otic [drops]: Aluminum acetate 10% and acetic acid 2% (60 mL)

Aluminum Chloride Hexahydrate

Outpatient Formulary Brands Available Drysol™

Outpatient Dosage Forms

Solution, topical:

Drysol™: 20% (37.5 mL) [contains ethanol 93%]

Aluminum Hydroxide, Magnesium Hydroxide, and Simethicone

Outpatient Formulary Brands Available Mag-Al Plus [OTC]; Mylanta®

Classic Regular Strength [OTC]

Outpatient Dosage Forms

Suspension, oral:

Mag-Al Plus: Aluminum hydroxide 200 mg, magnesium hydroxide 200 mg, and simethicone 20 mg per 5 mL (30 mL) [dye free, ethanol free, sugar free; contains propylene glycol; peppermint flavor]

Mylanta® Classic Regular Strength: Aluminum hydroxide 200 mg, magnesium hydroxide 200 mg, and simethicone 20 mg per 5 mL (150 mL, 360 mL) [contains magnesium 86 mg/5 mL; original flavor]

Amantadine

Outpatient Dosage Forms

Capsule, oral, as hydrochloride: 100 mg [BCF]

Capsule, softgel, oral, as hydrochloride: 100 mg [BCF]

Syrup, oral, as hydrochloride: 50 mg/5 mL (10 mL, 473 mL) [BCF]

Amcinonide

Outpatient Dosage Forms

Cream, topical: 0.1% (15 g, 30 g, 60 g)

Amiodarone

Outpatient Formulary Brands Available Cordarone®

Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 200 mg [BCF]

Cordarone®: 200 mg [scored] [BCF]

Amitriptyline

Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF], 75 mg [BCF]

AmLODIPine

Outpatient Dosage Forms

Tablet, oral: 2.5 mg [BCF], 5 mg [BCF], 10 mg [BCF]

Amlodipine and Benazepril

Outpatient Dosage Forms

Capsule, oral:

2.5/10: Amlodipine 2.5 mg and benazepril hydrochloride 10 mg [BCF]

5/10: Amlodipine 5 mg and benazepril hydrochloride 10 mg [BCF]

5/20: Amlodipine 5 mg and benazepril hydrochloride 20 mg [BCF]

5/40: Amlodipine 5 mg and benazepril hydrochloride 40 mg [BCF]

10/20: Amlodipine 10 mg and benazepril hydrochloride 20 mg [BCF]

5/40: Amlodipine 5 mg and benazepril hydrochloride 40 mg [BCF]

Amoxicillin**Outpatient Dosage Forms**

Capsule, oral: 250 mg [BCF], 500 mg [BCF]
 Powder for suspension, oral: 250 mg/5 mL (80 mL, 100 mL, 150 mL) [BCF];
 400 mg/5 mL (50 mL, 75 mL, 100 mL) [BCF]

Amoxicillin and Clavulanate**Outpatient Formulary Brands Available** Augmentin®**Outpatient Dosage Forms**

Powder for suspension, oral:
 200: Amoxicillin 200 mg and clavulanate potassium 28.5 mg per 5 mL (50 mL, 75 mL, 100 mL) [BCF]
 400: Amoxicillin 400 mg and clavulanate potassium 57 mg per 5 mL (50 mL, 75 mL, 100 mL) [BCF]
 600: Amoxicillin 600 mg and clavulanate potassium 42.9 mg per 5 mL (75 mL, 125 mL, 200 mL) [BCF]
 Tablet, oral:
 250: Amoxicillin 250 mg and clavulanate potassium 125 mg [BCF]
 500: Amoxicillin 500 mg and clavulanate potassium 125 mg [BCF]
 875: Amoxicillin 875 mg and clavulanate potassium 125 mg [BCF]
 Tablet, extended release, oral: Amoxicillin 1000 mg and clavulanate acid 62.5 mg
 Augmentin XR®: 1000: Amoxicillin 1000 mg and clavulanate potassium 62.5 mg [scored; contains potassium 12.6 mg/tablet, sodium 29.3 mg/tablet]

ARIPiprazole**Outpatient Formulary Brands Available** Abilify®**Outpatient Dosage Forms**

Tablet, oral:
 Abilify®: 2 mg, 5 mg, 10 mg, 15 mg, 20 mg, 30 mg

Artemether and Lumefantrine**Outpatient Formulary Brands Available** Coartem®**Outpatient Dosage Forms**

Tablet, oral:
 Coartem®: Artemether 20 mg and lumefantrine 120 mg [scored]

Artificial Tears**Outpatient Dosage Forms**

Solution, ophthalmic [drops]: (15 mL)

Ascorbic Acid**Outpatient Dosage Forms**

Tablet, oral: 500 mg

Aspirin**Outpatient Dosage Forms**

Suppository, Rectal:
 Generic: 300 mg (12s)
 Tablet, Oral:
 Generic: 325 mg
 Tablet, Chewable, Oral:
 Generic: 81 mg
 Tablet, Enteric Coated, Oral:
 Generic: 81 mg, 325 mg

Atenolol**Outpatient Dosage Forms**

Tablet, oral: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]

AtoMOXetine**Outpatient Formulary Brands Available** Strattera®**Outpatient Dosage Forms**

Capsule, oral:
 Strattera®: 10 mg, 18 mg, 25 mg, 40 mg, 60 mg

AtorvaSTATin**Outpatient Dosage Forms**

Tablet, oral: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF], 80 mg [BCF]

Atracurium**Outpatient Dosage Forms**

Injection, solution, as besylate [preservative free]: 10 mg/mL (5 mL)

Atropine (Ophthalmic)**Outpatient Dosage Forms**

Ointment, ophthalmic, as sulfate: 1% (3.5 g)
 Solution, ophthalmic, as sulfate [drops]: 1% (5 mL)
 Isopto® Atropine: 1% (5 mL) [contains benzalkonium chloride]

Azithromycin (Systemic)**Outpatient Formulary Brands Available** Zithromax®; Zithromax® TRI-PAK™**Outpatient Dosage Forms**

Powder for suspension, oral, as dihydrate [strength expressed as base]:
 100 mg/5 mL (15 mL) [BCF]; 1 g/packet (3s) [BCF]
 Zithromax®: 100 mg/5 mL (15 mL) [contains sodium 3.7 mg/5 mL; cherry-crème de vanilla-banana flavor] [BCF]
 Zithromax®: 200 mg/5 mL (15 mL, 30 mL) [contains sodium 7.4 mg/5 mL; cherry-crème de vanilla-banana flavor]

Zithromax®: 1 g/packet (3s, 10s) [contains sodium 37 mg/packet; banana-cherry flavor] [BCF]

Powder for suspension, oral, as monohydrate [strength expressed as base]:
 100 mg/5 mL (15 mL) [BCF]

Tablet, oral, as anhydrous: 250 mg [BCF], 500 mg [BCF]

Tablet, oral, as dihydrate [strength expressed as base]: 250 mg [BCF], 500 mg [BCF]

Zithromax® TRI-PAK™: 500 mg [contains sodium 1.8 mg/tablet] [BCF]

Tablet, oral, as monohydrate [strength expressed as base]: 250 mg [BCF], 500 mg [BCF]

Bacitracin, Neomycin, and Polymyxin B (Ophthalmic)**Outpatient Dosage Forms**

Ointment, ophthalmic: Bacitracin 400 units, neomycin 3.5 mg, and polymyxin B 10,000 units per g (3.5 g) [BCF]

Bacitracin (Topical)**Outpatient Dosage Forms**

Ointment, topical, as zinc [strength expressed as base]: 500 units/g (15 g, 30 g)

Baclofen**Outpatient Dosage Forms**

Tablet, oral: 10 mg

Benazepril**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 40 mg

Benzocaine**Outpatient Formulary Brands Available** Hurricaine® [OTC]**Outpatient Dosage Forms**

Gel, oral:
 Hurricaine®: 20% (30 g) [dye free; wild cherry flavor]

Benzocaine, Butamben, and Tetracaine**Outpatient Formulary Brands Available** Cetacaine®**Outpatient Dosage Forms**

Aerosol, spray, topical:
 Cetacaine®: Benzocaine 14%, butamben 2%, and tetracaine hydrochloride 2% (56 g) [contains benzalkonium chloride, chlorofluorocarbon; delivers benzocaine 28 mg, butamben 4 mg, and tetracaine hydrochloride 4 mg per second; packaged with cannula]

Benzonatate**Outpatient Formulary Brands Available** Tessalon®**Outpatient Dosage Forms**

Capsule, softgel, oral: 100 mg
 Tessalon®: 100 mg

Benzoyl Peroxide**Outpatient Dosage Forms**

Gel, topical: 10% (45 g)
 Wash, topical: 5% (227 g)

Benztropine**Outpatient Formulary Brands Available** Cogentin®**Outpatient Dosage Forms**

Injection, solution, as mesylate: 1 mg/mL
 Cogentin®: 1 mg/mL
 Tablet, oral, as mesylate: 0.5 mg [BCF], 1 mg [BCF], 2 mg [BCF]

Bepotastine**Outpatient Formulary Brands Available** Beprevue**Outpatient Dosage Forms**

Solution, Ophthalmic, as besilate:
 Beprevue: 1.5% (5 mL, 10 mL) [contains benzalkonium chloride]

Betamethasone and Clotrimazole**Outpatient Dosage Forms**

Cream, topical: Betamethasone dipropionate 0.05% (base) and clotrimazole 1% (45 g)

Betamethasone (Topical)**Outpatient Dosage Forms**

Cream, topical, as valerate [strength expressed as base]: 0.1% (15 g)
 Ointment, topical, as valerate [strength expressed as base]: 0.1% (15 g)

Bisacodyl**Outpatient Dosage Forms**

Tablet, enteric coated, oral: 5 mg

Bismuth Subsalicylate**Outpatient Formulary Brands Available** Kaopectate® [OTC]; Peptic Relief [OTC]; Pepto-Bismol® Maximum Strength**Outpatient Dosage Forms**

Liquid, oral, as subsalicylate:
 Kaopectate®: 262 mg/15 mL (236 mL) [contains potassium 5 mg/15 mL, sodium 10 mg/15 mL]
 Pepto-Bismol® Maximum Strength: 525 mg/15 mL (120 mL, 240 mL, 360 mL) [sugar free; contains benzoic acid, sodium 6 mg/15 mL; wintergreen flavor]

BISMUTH SUBSALICYLATE

Tablet, chewable, oral, as subsalicylate: 262 mg
Peptic Relief: 262 mg

Brimonidine and Timolol

Outpatient Dosage Forms

Solution, Ophthalmic:
Combigan: Brimonidine tartrate 0.2% and timolol 0.5% (5 mL, 10 mL, 15 mL)

Brimonidine (Ophthalmic)

Outpatient Formulary Brands Available Alphagan P

Outpatient Dosage Forms

Solution, Ophthalmic, as tartrate [drops]: 0.15% (5 mL, 10 mL, 15 mL) [BCF];
0.2% (5 mL, 10 mL, 15 mL) [BCF]
Alphagan P: 0.15% (5 mL, 10 mL, 15 mL) [contains Purite®] [BCF]

Bromocriptine

Outpatient Formulary Brands Available Parlodel® SnapTabs®

Outpatient Dosage Forms

Tablet, oral:
Parlodel® SnapTabs®: 2.5 mg [scored]

Budesonide (Oral Inhalation)

Outpatient Formulary Brands Available Pulmicort

Outpatient Dosage Forms

Suspension, for nebulization: 0.25 mg/2 mL (30s); 0.5 mg/2 mL (30s)
Pulmicort Respules®: 0.25 mg/2 mL (30s); 0.5 mg/2 mL (30s); 1 mg/2 mL (30s)

BuPROPion

Outpatient Formulary Brands Available Wellbutrin SR®; Zyban®

Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 75 mg [generic for Wellbutrin®] [BCF], 100 mg [generic for Wellbutrin®] [BCF]
Tablet, extended release, oral, as hydrochloride: 100 mg [generic for Wellbutrin SR®] [BCF], 150 mg [generic for Wellbutrin XL®] [BCF], 150 mg [generic for Zyban®] [BCF], 300 mg [generic for Wellbutrin XL®] [BCF]
Tablet, sustained release, oral, as hydrochloride:
Wellbutrin SR®: 100 mg [BCF]
Zyban®: 150 mg [BCF]

BusPIRone

Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 5 mg [BCF], 10 mg [BCF], 15 mg [BCF]

Butalbital, Acetaminophen, and Caffeine

Outpatient Dosage Forms

Tablet, oral: Butalbital 50 mg, acetaminophen 325 mg, and caffeine 40 mg [BCF]

Butalbital, Aspirin, and Caffeine

Outpatient Dosage Forms

Tablet, oral: Butalbital 50 mg, aspirin 325 mg, and caffeine 40 mg

Calcipotriene

Outpatient Formulary Brands Available Dovonex®

Outpatient Dosage Forms

Cream, topical:
Dovonex®: 0.005% (60 g)

Calcium and Vitamin D

Outpatient Dosage Forms

Tablet, oral: Calcium 500 mg and vitamin D 200 int. units

Camphor and Menthol

Outpatient Formulary Brands Available Sarna® [OTC]

Outpatient Dosage Forms

Lotion, topical:
Sarna®: Camphor 0.5% and menthol 0.5% (222 mL)

Capsaicin

Outpatient Dosage Forms

Cream, topical: 0.025% (60 g)

Captopril

Outpatient Dosage Forms

Tablet, oral: 12.5 mg [BCF], 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]

CarBAMazepine

Outpatient Dosage Forms

Suspension, Oral:
Generic: 100 mg/5 mL (450 mL) [BCF]
Tablet, Oral:
Generic: 200 mg [BCF], 400 mg [BCF]
Tablet, Chewable, Oral:
Generic: 100 mg [BCF]
Tablet, Extended Release, Oral:
Generic: 400 mg [BCF]

Carbidopa and Levodopa

Outpatient Formulary Brands Available Sinemet®; Sinemet® CR

Outpatient Dosage Forms

Tablet, oral:
10/100: Carbidopa 10 mg and levodopa 100 mg [BCF]
25/100: Carbidopa 25 mg and levodopa 100 mg [BCF]
25/250: Carbidopa 25 mg and levodopa 250 mg [BCF]
Sinemet®:
10/100: Carbidopa 10 mg and levodopa 100 mg [scored] [BCF]
25/100: Carbidopa 25 mg and levodopa 100 mg [scored] [BCF]
25/250: Carbidopa 25 mg and levodopa 250 mg [scored] [BCF]
Tablet, sustained release, oral:
Sinemet® CR: 25/100: Carbidopa 25 mg and levodopa 100 mg

Carisoprodol

Outpatient Dosage Forms

Tablet, oral: 350 mg

Carvedilol

Outpatient Formulary Brands Available Coreg®

Outpatient Dosage Forms

Tablet, oral: 3.125 mg [BCF], 6.25 mg [BCF], 12.5 mg [BCF], 25 mg [BCF]
Coreg®: 3.125 mg [BCF], 6.25 mg [BCF], 12.5 mg [BCF], 25 mg [BCF]

Cefdinir

Outpatient Dosage Forms

Powder for suspension, oral: 125 mg/5 mL (100 mL); 250 mg/5 mL (100 mL)

Cefpodoxime

Outpatient Dosage Forms

Granules for suspension, oral: 50 mg/5 mL (100 mL); 100 mg/5 mL (100 mL)
Tablet, oral: 100 mg, 200 mg

Cefprozil

Outpatient Dosage Forms

Powder for suspension, oral, as anhydrous: 250 mg/5 mL (50 mL, 100 mL)
Tablet, oral: 500 mg

Cephalexin

Outpatient Dosage Forms

Capsule, oral: 250 mg [BCF], 500 mg [BCF]
Powder for suspension, oral: 125 mg/5 mL (100 mL); 250 mg/5 mL (100 mL, 200 mL) [BCF]

Chlorhexidine Gluconate (Oral)

Outpatient Formulary Brands Available Periogard

Outpatient Dosage Forms

Solution, Mouth/Throat:
Periogard: 0.12% (473 mL) [mint flavor] [BCF]
Generic: 0.12% (473 mL) [BCF]

Chloroquine

Outpatient Formulary Brands Available Aralen®

Outpatient Dosage Forms

Tablet, oral, as phosphate: 500 mg [equivalent to chloroquine base 300 mg]
Aralen®: 500 mg [equivalent to chloroquine base 300 mg]

Chlorpheniramine

Outpatient Formulary Brands Available Aller-Chlor® [OTC]

Outpatient Dosage Forms

Syrup, oral, as maleate:
Aller-Chlor®: 2 mg/5 mL (118 mL) [contains ethanol 5%, propylene glycol]
Tablet, oral, as maleate:
Aller-Chlor®: 4 mg [scored]

ChlorproMAZINE

Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 10 mg, 25 mg

Chlorthalidone

Outpatient Dosage Forms

Tablet, oral: 25 mg [BCF], 50 mg [BCF]

Cholecalciferol

Outpatient Formulary Brands Available Enfamil® D-Vi-Sol™ [OTC]

Outpatient Dosage Forms

Solution, oral [drops]:
Enfamil® D-Vi-Sol™: 400 int. units/mL (50 mL) [gluten free, sugar free; citrus flavor]

Cholestyramine Resin

Outpatient Dosage Forms

Packet, Oral:
Generic: 4 g (1 ea, 60 ea)

Ciprofloxacin and Dexamethasone

Outpatient Formulary Brands Available Ciprodex®

Outpatient Dosage Forms

Suspension, otic:
Ciprodex®: Ciprofloxacin 0.3% and dexamethasone 0.1% (7.5 mL) [contains benzalkonium chloride]

Ciprofloxacin (Systemic)**Outpatient Dosage Forms**

Suspension Reconstituted, Oral:

Generic: 250 mg/5 mL (100 mL) [BCF]

Tablet, Oral, as hydrochloride:

Generic: 250 mg [BCF]

Tablet, Oral, as hydrochloride [strength expressed as base]:

Generic: 100 mg, 250 mg [BCF], 500 mg [BCF], 750 mg

Citalopram**Outpatient Dosage Forms**

Solution, oral: 10 mg/5 mL (240 mL) [BCF]

Tablet, oral: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF]

Clarithromycin**Outpatient Formulary Brands Available** Biaxin®**Outpatient Dosage Forms**

Tablet, oral: 500 mg

Biaxin®: 500 mg

Cleansing Lotion**Outpatient Formulary Brands Available** Cētaφhil®**Outpatient Dosage Forms**

Lotion, topical:

Cētaφhil®: 240 mL

Clidinium and Chlordiazepoxide**Outpatient Dosage Forms**

Capsule, Oral:

Generic: Clidinium bromide 2.5 mg and chlordiazepoxide hydrochloride 5 mg

Clindamycin (Systemic)**Outpatient Formulary Brands Available** Cleocin Pediatric®; Cleocin Phosphate®**Outpatient Dosage Forms**

Capsule, oral, as hydrochloride [strength expressed as base]: 150 mg [BCF]

Granules for solution, oral, as palmitate hydrochloride [strength expressed as base]:

Cleocin Pediatric®: 75 mg/5 mL (100 mL) [cherry flavor]

Injection, solution, as phosphate [strength expressed as base]:

Cleocin Phosphate®: 150 mg/mL (6 mL) [contains benzyl alcohol, edetate disodium]

Clindamycin (Topical)**Outpatient Formulary Brands Available** Cleocin®**Outpatient Dosage Forms**

Cream, vaginal, as phosphate [strength expressed as base]: 2% (40 g) [BCF]

Cleocin®: 2% (40 g) [contains benzyl alcohol, mineral oil] [BCF]

Solution, topical, as phosphate [strength expressed as base]: 1% (30 mL, 60 mL) [BCF]

Clobetasol**Outpatient Dosage Forms**

Ointment, topical, as propionate: 0.05% (30 g)

ClomiPHENE**Outpatient Formulary Brands Available** Clomid®**Outpatient Dosage Forms**

Tablet, oral, as citrate: 50 mg

Clomid®: 50 mg [scored]

ClomiPRAMINE**Outpatient Formulary Brands Available** Anafranil®**Outpatient Dosage Forms**

Capsule, oral, as hydrochloride: 50 mg

Anafranil®: 50 mg

Clonazepam**Outpatient Formulary Brands Available** Klonopin®**Outpatient Dosage Forms**

Tablet, oral: 0.5 mg [BCF]

Klonopin®: 0.5 mg [scored] [BCF]

Klonopin®: 1 mg

CloNIDine**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 0.1 mg [BCF], 0.2 mg [BCF], 0.3 mg [BCF]

Clopidogrel**Outpatient Formulary Brands Available** Plavix®**Outpatient Dosage Forms**

Tablet, Oral:

Plavix: 75 mg [BCF], 300 mg [BCF]

Generic: 75 mg [BCF], 300 mg [BCF]

Clotrimazole (Oral)**Outpatient Dosage Forms**

Troche, oral: 10 mg

Clotrimazole (Topical)**Outpatient Dosage Forms**

Cream, topical: 1% (30 g)

Cream, vaginal: 1% (45 g)

Solution, topical: 1% (10 mL, 30 mL) [BCF]

Cocaine (Topical)**Outpatient Dosage Forms**

Solution, topical, as hydrochloride: 4% (4 mL)

Codeine**Outpatient Dosage Forms**

Tablet, oral, as sulfate: 30 mg, 60 mg

Colchicine**Outpatient Dosage Forms**

Tablet, oral: 0.6 mg

Colestipol**Outpatient Formulary Brands Available** Colestid® Flavored**Outpatient Dosage Forms**

Granules for suspension, oral, as hydrochloride:

Colestid® Flavored: 5 g/scoop (450 g) [contains phenylalanine 18.2 mg/scoop; orange flavor]

Collagen Hemostat**Outpatient Formulary Brands Available** Avitene® Flour**Outpatient Dosage Forms**

Powder, topical [microfibrillar product, bovine derived]:

Avitene® Flour: (0.5 g)

Cromolyn (Nasal)**Outpatient Formulary Brands Available** NasalCrom® [OTC]**Outpatient Dosage Forms**

Solution, intranasal, as sodium [spray]:

NasalCrom®: 40 mg/mL (13 mL) [contains benzalkonium chloride; 5.2 mg/inhalation]

Cromolyn (Ophthalmic)**Outpatient Dosage Forms**

Solution, ophthalmic, as sodium [drops]: 4% (10 mL)

Crotamiton**Outpatient Formulary Brands Available** Eurax®**Outpatient Dosage Forms**

Lotion, topical:

Eurax®: 10% (480 mL)

Cyanocobalamin**Outpatient Dosage Forms**

Tablet, oral: 500 mcg

Cyclobenzaprine**Outpatient Dosage Forms**

Tablet, Oral, as hydrochloride:

Generic: 5 mg, 10 mg [BCF]

Cyclopentolate**Outpatient Formulary Brands Available** Cyclogyl®**Outpatient Dosage Forms**

Solution, ophthalmic, as hydrochloride [drops]:

Cyclogyl®: 1% (15 mL); 2% (2 mL) [contains benzalkonium chloride]

Cyclopentolate and Phenylephrine**Outpatient Formulary Brands Available** Cyclomydril®**Outpatient Dosage Forms**

Solution, ophthalmic [drops]:

Cyclomydril®: Cyclopentolate hydrochloride 0.2% and phenylephrine hydrochloride 1% (5 mL) [contains benzalkonium chloride]

CycloSPORINE (Ophthalmic)**Outpatient Formulary Brands Available** Restasis®**Outpatient Dosage Forms**

Emulsion, ophthalmic [drops, preservative free]:

Restasis®: 0.05% (0.4 mL) [contains castor oil]

Cyproheptadine**Outpatient Dosage Forms**

Syrup, oral, as hydrochloride: 2 mg/5 mL (473 mL) [BCF]

Tablet, oral, as hydrochloride: 4 mg [BCF]

Danazol**Outpatient Dosage Forms**

Capsule, oral: 100 mg, 200 mg

Dapsone (Systemic)**Outpatient Dosage Forms**

Tablet, oral: 25 mg, 100 mg

DESIPRAMINE

Desipramine

Outpatient Formulary Brands Available Norpramin®

Outpatient Dosage Forms

Tablet, oral, as hydrochloride:

Norpramin®: 25 mg, 50 mg [contains soybean oil]

Desmopressin

Outpatient Formulary Brands Available DDAVP; Stimate

Outpatient Dosage Forms

Solution, Injection, as acetate:

DDAVP: 4 mcg/mL (1 mL)

Solution, Nasal, as acetate:

DDAVP: 0.1 mg/mL (5 mL) [contains benzalkonium chloride; delivers 10 mcg/spray]

Stimate: 1.5 mg/mL (2.5 mL) [delivers 150 mcg/spray]

Tablet, Oral, as acetate:

DDAVP: 0.1 mg [DSC], 0.2 mg [scored]

Desonide

Outpatient Dosage Forms

Cream, topical: 0.05% (15 g)

Ointment, topical: 0.05% (15 g)

DexAMETHasone (Systemic)

Outpatient Dosage Forms

Tablet, oral: 0.75 mg, 1 mg, 2 mg, 4 mg

Dextroamphetamine

Outpatient Formulary Brands Available Dexedrine® Spansule®

Outpatient Dosage Forms

Capsule, sustained release, oral, as sulfate:

Dexedrine® Spansule®: 5 mg, 10 mg, 15 mg

Tablet, oral, as sulfate: 5 mg

Dextroamphetamine and Amphetamine

Outpatient Formulary Brands Available Adderall XR®; Adderall®

Outpatient Dosage Forms

Capsule, extended release, oral:

5 mg [dextroamphetamine sulfate 1.25 mg, dextroamphetamine saccharate 1.25 mg, amphetamine aspartate monohydrate 1.25 mg, amphetamine sulfate 1.25 mg (equivalent to amphetamine base 3.1 mg)] [BCF]

10 mg [dextroamphetamine sulfate 2.5 mg, dextroamphetamine saccharate 2.5 mg, amphetamine aspartate monohydrate 2.5 mg, amphetamine sulfate 2.5 mg (equivalent to amphetamine base 6.3 mg)] [BCF]

15 mg [dextroamphetamine sulfate 3.75 mg, dextroamphetamine saccharate 3.75 mg, amphetamine aspartate monohydrate 3.75 mg, amphetamine sulfate 3.75 mg (equivalent to amphetamine base 9.4 mg)] [BCF]

20 mg [dextroamphetamine sulfate 5 mg, dextroamphetamine saccharate 5 mg, amphetamine aspartate monohydrate 5 mg, amphetamine sulfate 5 mg (equivalent to amphetamine base 12.5 mg)] [BCF]

25 mg [dextroamphetamine sulfate 6.25 mg, dextroamphetamine saccharate 6.25 mg, amphetamine aspartate monohydrate 6.25 mg, amphetamine sulfate 6.25 mg (equivalent to amphetamine base 15.6 mg)] [BCF]

30 mg [dextroamphetamine sulfate 7.5 mg, dextroamphetamine saccharate 7.5 mg, amphetamine aspartate monohydrate 7.5 mg, amphetamine sulfate 7.5 mg (equivalent to amphetamine base 18.8 mg)] [BCF]

Adderall XR®

5 mg [dextroamphetamine sulfate 1.25 mg, dextroamphetamine saccharate 1.25 mg, amphetamine aspartate monohydrate 1.25 mg, amphetamine sulfate 1.25 mg (equivalent to amphetamine base 3.1 mg)] [BCF]

10 mg [dextroamphetamine sulfate 2.5 mg, dextroamphetamine saccharate 2.5 mg, amphetamine aspartate monohydrate 2.5 mg, amphetamine sulfate 2.5 mg (equivalent to amphetamine base 6.3 mg)] [BCF]

15 mg [dextroamphetamine sulfate 3.75 mg, dextroamphetamine saccharate 3.75 mg, amphetamine aspartate monohydrate 3.75 mg, amphetamine sulfate 3.75 mg (equivalent to amphetamine base 9.4 mg)] [BCF]

20 mg [dextroamphetamine sulfate 5 mg, dextroamphetamine saccharate 5 mg, amphetamine aspartate monohydrate 5 mg, amphetamine sulfate 5 mg (equivalent to amphetamine base 12.5 mg)] [BCF]

25 mg [dextroamphetamine sulfate 6.25 mg, dextroamphetamine saccharate 6.25 mg, amphetamine aspartate monohydrate 6.25 mg, amphetamine sulfate 6.25 mg (equivalent to amphetamine base 15.6 mg)] [BCF]

30 mg [dextroamphetamine sulfate 7.5 mg, dextroamphetamine saccharate 7.5 mg, amphetamine aspartate monohydrate 7.5 mg, amphetamine sulfate 7.5 mg (equivalent to amphetamine base 18.8 mg)] [BCF]

Tablet, oral: 5 mg [dextroamphetamine sulfate 1.25 mg, dextroamphetamine saccharate 1.25 mg, amphetamine aspartate 1.25 mg, amphetamine sulfate 1.25 mg (equivalent to amphetamine base 3.13 mg)]

Adderall®: 10 mg [scored; dextroamphetamine sulfate 2.5 mg, dextroamphetamine saccharate 2.5 mg, amphetamine aspartate monohydrate 2.5 mg, amphetamine sulfate 2.5 mg (equivalent to amphetamine base 6.3 mg)]

Diabetic Supplies

Outpatient Formulary Brands Available Accu-Chek®; Contour®; Diastix®; FreeStyle Lite®; NovoFine®; Precision Xtra®

Outpatient Dosage Forms

Glucose meter:

Precision Xtra® Blood Glucose Monitoring System

Lancet:

FreeStyle® Lancets [28G] (100s)

Pad, topical:

Alcohol Prep Pads

Syringe and needle:

BD™ Syringe (Ultra-Fine) 29 gauge x 1/2" (1 mL and 1/2 mL)

NovoFine® Pen Needle (32 gauge - 6 mm)

Test Strips/Kit: [BCF]

Precision Xtra® Blood Glucose Test Strips

DiazePAM

Outpatient Dosage Forms

Solution, oral: 5 mg/5 mL (500 mL)

Tablet, oral: 5 mg [BCF]

Dibucaine

Outpatient Dosage Forms

Ointment, topical: 1% [10 mg/g] (30 g)

Diclofenac (Systemic)

Outpatient Dosage Forms

Tablet, Delayed Release, Oral, as sodium:

Generic: 25 mg, 50 mg, 75 mg

Diclofenac (Topical)

Outpatient Formulary Brands Available Voltaren® Gel

Outpatient Dosage Forms

Gel, topical, as sodium:

Voltaren® Gel: 1% (100 g) [contains isopropyl alcohol]

Dicloxacillin

Outpatient Dosage Forms

Capsule, oral: 250 mg [BCF], 500 mg [BCF]

Dicyclomine

Outpatient Formulary Brands Available Bentyl®

Outpatient Dosage Forms

Capsule, oral, as hydrochloride: 10 mg [BCF]

Bentyl®: 10 mg/mL (2 mL)

Tablet, oral, as hydrochloride: 20 mg [BCF]

Digoxin

Outpatient Formulary Brands Available Lanoxin®

Outpatient Dosage Forms

Solution, oral: 50 mcg/mL (60 mL)

Tablet, oral: 125 mcg [BCF], 250 mcg [BCF]

Lanoxin®: 125 mcg [BCF], 250 mcg [BCF] [scored]

DiITIAZem

Outpatient Formulary Brands Available Cardizem®; Tiazac®

Outpatient Dosage Forms

Capsule, extended release, oral, as hydrochloride [once-daily dosing]: 120 mg [BCF], 180 mg [BCF], 240 mg [BCF], 300 mg [BCF], 360 mg [BCF], 420 mg [BCF]

Tiazac®: 120 mg [BCF], 180 mg [BCF], 240 mg [BCF], 300 mg [BCF], 360 mg [BCF], 420 mg [BCF]

Tablet, oral, as hydrochloride:

Cardizem®: 60 mg [scored]

DiphenhydrAMINE (Systemic)

Outpatient Formulary Brands Available Banophen™ [OTC]; Diphenhist® [OTC]

Outpatient Dosage Forms

Capsule, oral, as hydrochloride:

Banophen™: 25 mg

Injection, solution, as hydrochloride: 50 mg/mL (1 mL)

Solution, oral, as hydrochloride:

Diphenhist®: 12.5 mg/5 mL (120 mL) [ethanol free; contains sodium benzoate]

Diphenoxylate and Atropine

Outpatient Formulary Brands Available Lomotil®

Outpatient Dosage Forms

Tablet, oral:

Lomotil®: 2.5/0.025: Diphenoxylate hydrochloride 2.5 mg and atropine sulfate 0.025 mg

Dipyridamole

Outpatient Dosage Forms

Tablet, oral: 25 mg, 75 mg

Disulfiram

Outpatient Formulary Brands Available Antabuse®

Outpatient Dosage Forms

Tablet, oral:

Antabuse®: 250 mg [scored]

Docusate

Outpatient Formulary Brands Available Dok™ [OTC]

Outpatient Dosage Forms

Capsule, softgel, oral, as sodium:
Dok™: 100 mg

Donepezil

Outpatient Formulary Brands Available Aricept®

Outpatient Dosage Forms
Tablet, oral, as hydrochloride:
Aricept®: 5 mg, 10 mg

Dorzolamide

Outpatient Formulary Brands Available Trusopt®

Outpatient Dosage Forms
Solution, ophthalmic [drops]:
Trusopt®: 2% (10 mL) [contains benzalkonium chloride]

Dorzolamide and Timolol

Outpatient Formulary Brands Available Cosopt®

Outpatient Dosage Forms
Solution, ophthalmic [drops]:
Cosopt®: Dorzolamide hydrochloride 2% [strength expressed as base] and timolol maleate 0.5% mg [strength expressed as base] (10 mL) [contains benzalkonium chloride]

Doxepin (Systemic)

Outpatient Dosage Forms

Capsule, oral: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF], 75 mg [BCF]
Solution, oral [concentrate]: 10 mg/mL (120 mL) [BCF]

Doxycycline

Outpatient Dosage Forms

Capsule, oral, as hyclate [strength expressed as base]: 100 mg [BCF]
Tablet, oral, as hyclate [strength expressed as base]: 100 mg [BCF]

Dronedarone

Outpatient Formulary Brands Available Multaq

Outpatient Dosage Forms
Tablet, Oral:
Multaq: 400 mg

Efavirenz, Emtricitabine, and Tenofovir

Outpatient Formulary Brands Available Atripla®

Outpatient Dosage Forms
Tablet, oral:
Atripla®: Efavirenz 600 mg, emtricitabine 200 mg, and tenofovir disoproxil fumarate 300 mg

Empagliflozin

Outpatient Dosage Forms

Tablet, Oral:
Jardiance: 10 mg, 25 mg

Emtricitabine and Tenofovir Disoproxil Fumarate

Outpatient Dosage Forms

Tablet, Oral:
Truvada: emtricitabine 100 mg and tenofovir disoproxil fumarate 150 mg, emtricitabine 133 mg and tenofovir disoproxil fumarate 200 mg, emtricitabine 167 mg and tenofovir disoproxil fumarate 250 mg, emtricitabine 200 mg and tenofovir disoproxil fumarate 300 mg [contains fd&c blue #2 aluminum lake]

Enoxaparin

Outpatient Dosage Forms

Injection, solution, as sodium [preservative free]:
Lovenox®: 30 mg/0.3 mL (0.3 mL) [BCF]; 40 mg/0.4 mL (0.4 mL) [BCF]; 60 mg/0.6 mL (0.6 mL) [BCF]; 80 mg/0.8 mL (0.8 mL) [BCF]; 100 mg/mL (1 mL) [BCF]; 120 mg/0.8 mL (0.8 mL) [BCF] [prefilled syringe]

Entacapone

Outpatient Formulary Brands Available Comtan®

Outpatient Dosage Forms
Tablet, oral:
Comtan®: 200 mg

EPINEPHrine (Systemic)

Outpatient Formulary Brands Available Adrenalin®; EpiPen® Jr.; Twinject®

Outpatient Dosage Forms

Injection, solution:
0.15 mg/0.15 mL (1.1 mL) [1:1000 solution; delivers 0.15 mg per injection]
0.3 mg/0.3 mL (1.1 mL) [1:1000 solution; delivers 0.3 mg per injection]
EpiPen® Jr.: 0.15 mg/0.3 mL (2 mL [DSC]) [contains sodium metabisulfite; 1:2000 solution; delivers 0.15 mg per injection]
Twinject®:
0.15 mg/0.15 mL (1.1 mL) [contains chlorobutanol, sodium bisulfite; 1:1000 solution; delivers 0.15 mg per injection]
0.3 mg/0.3 mL (1.1 mL) [contains chlorobutanol, sodium bisulfite; 1:1000 solution; delivers 0.3 mg per injection]
Injection, solution, as hydrochloride:
Adrenalin®: 1 mg/mL (1 mL) [contains sodium bisulfite; 1:1000 solution]

Erenumab

Outpatient Dosage Forms

Solution Auto-injector, Subcutaneous [preservative free]:
Aimovig: 70 mg/mL (1 mL) [contains polysorbate 80]
Aimovig: 140 mg/mL (1 mL) [contains polysorbate 80]

Erythromycin (Ophthalmic)

Outpatient Dosage Forms

Ointment, Ophthalmic:
Generic: 5 mg/g (1 g, 3.5 g) [BCF]

Erythromycin (Systemic)

Outpatient Formulary Brands Available E.E.S.®; Erythrocin®

Outpatient Dosage Forms

Granules for suspension, oral, as ethylsuccinate [strength expressed as base]:
E.E.S.®: 200 mg/5 mL (100 mL, 200 mL) [contains sodium 25.9 mg (1.1 mEq)/5 mL; cherry flavor] [BCF]
Tablet, oral, as stearate [strength expressed as base]:
Erythrocin®: 250 mg [contains potassium 5 mg (0.1 mEq)/tablet, sodium 56.7 mg (2.5 mEq)/tablet] [BCF]

Erythromycin (Topical)

Outpatient Dosage Forms

Gel, topical: 2% (30 g, 60 g) [BCF]
Solution, topical: 2% (60 mL) [BCF]

Escitalopram

Outpatient Dosage Forms

Tablet, oral: 10 mg, 20 mg

Estradiol (Systemic)

Outpatient Formulary Brands Available Climara®; Delestrogen®; Depo®-Estradiol; Femtrace®

Outpatient Dosage Forms

Injection, oil, as cypionate:
Depo®-Estradiol: 5 mg/mL (5 mL) [contains chlorobutanol, cottonseed oil]
Injection, oil, as valerate:
Delestrogen®: 20 mg/mL (5 mL) [contains benzyl alcohol, benzyl benzoate, castor oil]
Patch, transdermal [once-weekly patch]: 0.025 mg/24 hours (4s) [BCF]; 0.0375 mg/24 hours (4s) [BCF]; 0.05 mg/24 hours (4s) [BCF]; 0.06 mg/24 hours (4s) [BCF]; 0.075 mg/24 hours (4s) [BCF]; 0.1 mg/24 hours (4s) [BCF]
Climara®:
0.025 mg/24 hours (4s) [6.5 cm², total estradiol 2.04 mg] [BCF]
0.0375 mg/24 hours (4s) [9.375 cm², total estradiol 2.85 mg] [BCF]
0.05 mg/24 hours (4s) [12.5 cm², total estradiol 3.8 mg] [BCF]
0.06 mg/24 hours (4s) [15 cm², total estradiol 4.55 mg] [BCF]
0.075 mg/24 hours (4s) [18.75 cm², total estradiol 5.7 mg] [BCF]
0.1 mg/24 hours (4s) [25 cm², total estradiol 7.6 mg] [BCF]
Tablet, oral, as acetate:
Femtrace®: 0.9 mg

Estrogens (Conjugated/Equine) and Medroxyprogesterone

Outpatient Formulary Brands Available Prempro®

Outpatient Dosage Forms

Tablet, oral:
Prempro®:
0.3/1.5: Conjugated estrogens 0.3 mg and medroxyprogesterone acetate 1.5 mg [BCF]
0.45/1.5: Conjugated estrogens 0.45 mg and medroxyprogesterone acetate 1.5 mg [BCF]
0.625/2.5: Conjugated estrogens 0.625 mg and medroxyprogesterone acetate 2.5 mg [BCF]
0.625/5: Conjugated estrogens 0.625 mg and medroxyprogesterone acetate 5 mg [BCF]

Estrogens (Conjugated/Equine, Systemic)

Outpatient Formulary Brands Available Premarin®

Outpatient Dosage Forms

Tablet, oral:
Premarin®: 0.3 mg [BCF], 0.45 mg [BCF], 0.625 mg [BCF], 0.9 mg, 1.25 mg [BCF]

Estrogens (Conjugated/Equine, Topical)

Outpatient Formulary Brands Available Premarin®

Outpatient Dosage Forms

Cream, vaginal:
Premarin®: 0.625 mg/g (42.5 g) [BCF]

Eszopiclone

Outpatient Dosage Forms

Tablet, Oral:
Generic: 1 mg, 2 mg, 3 mg

Ethacrynic Acid

Outpatient Formulary Brands Available Edecrin®

Outpatient Dosage Forms

Tablet, oral:
Edecrin®: 25 mg [scored]

ETHAMBUTOL

Ethambutol

Outpatient Formulary Brands Available Myambutol®

Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 100 mg [BCF], 400 mg [BCF]
Myambutol®: 400 mg [scored]

Ethinyl Estradiol and Drospirenone

Outpatient Dosage Forms

Tablet, oral:
Ethinyl estradiol 0.03 mg and drospirenone 3 mg [21 active tablets and 7 inactive tablets] (28s) [BCF]
Ethinyl estradiol 0.02 mg and drospirenone 3 mg [24 light tablets and 4 inactive tablets] (28s) [BCF]

Ethinyl Estradiol and Ethynodiol Diacetate

Outpatient Formulary Brands Available Kelnor™ 1/35; Zovia® 1/50

Outpatient Dosage Forms

Tablet, oral:
Zovia® 1/50: Ethinyl estradiol 0.05 mg and ethynodiol diacetate 1 mg [21 pink tablets and 7 white inactive tablets]
Tablet, oral [monophasic formulation]:
Kelnor™ 1/35: Ethinyl estradiol 0.035 mg and ethynodiol diacetate 1 mg [21 light yellow tablets and 7 white inactive tablets]

Ethinyl Estradiol and Etonogestrel

Outpatient Formulary Brands Available NuvaRing®

Outpatient Dosage Forms

Ring, vaginal:
NuvaRing®: Ethinyl estradiol 0.015 mg/day and etonogestrel 0.12 mg/day (1s) [3-week duration]

Ethinyl Estradiol and Levonorgestrel

Outpatient Formulary Brands Available Jolessa; Tri-Levlen 28 [DSC]

Outpatient Dosage Forms

Tablet, Oral [extended cycle regimen]:
Jolessa: Ethinyl estradiol 0.03 mg and levonorgestrel 0.15 mg (91s) [84 pink tablets and 7 white inactive tablets] [BCF]
Tablet, Oral [triphasic formulation]:
Tri-Levlen 28 [DSC]:
Day 1-6: Ethinyl estradiol 0.03 mg and levonorgestrel 0.05 mg [6 brown tablets]
Day 7-11: Ethinyl estradiol 0.04 mg and levonorgestrel 0.075 mg [5 white tablets]
Day 12-21: Ethinyl estradiol 0.03 mg and levonorgestrel 0.125 mg [10 light yellow tablets]
Day 22-28: 7 light green inactive tablets (28s)

Ethinyl Estradiol and Norelgestromin

Outpatient Formulary Brands Available Ortho Evra®

Outpatient Dosage Forms

Patch, transdermal:
Ortho Evra®: Ethinyl estradiol 0.75 mg and norelgestromin 6 mg (3s) [releases ethinyl estradiol 20 mcg and norelgestromin 150 mcg per day]

Ethinyl Estradiol and Norethindrone

Outpatient Formulary Brands Available femhrt®; femhrt® Lo; Loestrin® Fe 1.5/30; Loestrin® Fe 1/20

Outpatient Dosage Forms

Tablet, oral:
femhrt®: 1/5: Ethinyl estradiol 0.005 mg and norethindrone acetate 1 mg [white tablets] (28s)
femhrt® Lo: 0.5/2.5: Ethinyl estradiol 0.0025 mg and norethindrone acetate 0.5 mg [white tablets] (28s)
Tablet, oral [monophasic formulation]:
Loestrin® Fe 1/20: Ethinyl estradiol 0.02 mg and norethindrone acetate 1 mg [21 light yellow tablets] and ferrous fumarate 75 mg [7 brown tablets] (28s)
Loestrin® Fe 1.5/30: Ethinyl estradiol 0.03 mg and norethindrone acetate 1.5 mg [21 pink tablets] and ferrous fumarate 75 mg [7 brown tablets] (28s)

Ethinyl Estradiol and Norgestimate

Outpatient Formulary Brands Available Ortho Tri-Cyclen® Lo; Ortho-Cyclen®

Outpatient Dosage Forms

Tablet, oral [monophasic formulation]:
Ortho-Cyclen®: Ethinyl estradiol 0.035 mg and norgestimate 0.25 mg [21 blue tablets and 7 green inactive tablets]
Tablet, oral [triphasic formulation]:
Ortho Tri-Cyclen® Lo [BCF]:
Day 1-7: Ethinyl estradiol 0.025 mg and norgestimate 0.18 mg [7 white tablets]
Day 8-14: Ethinyl estradiol 0.025 mg and norgestimate 0.215 mg [7 light blue tablets]
Day 15-21: Ethinyl estradiol 0.025 mg and norgestimate 0.25 mg [7 dark blue tablets]
Day 22-28: 7 dark green inactive tablets

Ethinyl Estradiol and Norgestrel

Outpatient Formulary Brands Available Lo/Ovral®-28

Outpatient Dosage Forms

Tablet, oral [monophasic formulation]:
Lo/Ovral®-28: Ethinyl estradiol 0.03 mg and norgestrel 0.3 mg

Etodolac

Outpatient Dosage Forms

Tablet, Oral:
Generic: 400 mg

Evolocumab

Outpatient Dosage Forms

Solution Auto-injector, Subcutaneous [preservative free]:
Repatha SureClick: 140 mg/mL (1 mL) [contains polysorbate 80]
Solution Cartridge, Subcutaneous [preservative free]:
Repatha Pushtronex System: 420 mg/3.5 mL (3.5 mL) [contains polysorbate 80]

Exenatide

Outpatient Dosage Forms

Auto-injector, Subcutaneous:
Bydureon BCise: 2 mg/0.85 mL (0.85 mL) [BCF]
Pen-injector, Subcutaneous:
Bydureon: 2 mg (1 ea) [BCF]

Ezetimibe

Outpatient Formulary Brands Available Zetia

Outpatient Dosage Forms

Tablet, Oral:
Zetia: 10 mg

Famotidine

Outpatient Dosage Forms

Tablet, Oral:
Generic: 10 mg, 20 mg

Fenofibrate and Derivatives

Outpatient Dosage Forms

Tablet, Oral, as fenofibrate:
Generic: 48 mg [BCF], 145 mg [BCF]

FentaNYL

Outpatient Formulary Brands Available Actiq®

Outpatient Dosage Forms

Lozenge, oral, as citrate [strength expressed as base, transmucosal]:
Actiq®: 200 mcg (30s) [contains sugar 2 g/lozenge; berry flavor]

Ferrous Sulfate

Outpatient Dosage Forms

Liquid, oral [drops]: 75 mg/0.6 mL (50 mL [DSC]) [elemental iron 15 mg/0.6 mL]
Tablet, oral: 325 mg [elemental iron 65 mg]

Fexofenadine

Outpatient Formulary Brands Available Allegra®

Outpatient Dosage Forms

Suspension, oral, as hydrochloride:
Allegra®: 6 mg/mL (300 mL) [contains propylene glycol; raspberry cream flavor]
Tablet, oral, as hydrochloride: 60 mg, 180 mg

Finasteride

Outpatient Formulary Brands Available Proscar®

Outpatient Dosage Forms

Tablet, oral: 5 mg [BCF]
Proscar®: 5 mg [BCF]

FlavoxATE

Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 100 mg

Fluconazole

Outpatient Formulary Brands Available Diflucan®

Outpatient Dosage Forms

Infusion, premixed iso-osmotic sodium chloride solution: 200 mg (100 mL)
Tablet, oral: 150 mg [BCF]
Diflucan®: 100 mg, 150 mg [BCF], 200 mg

Fludrocortisone

Outpatient Dosage Forms

Tablet, oral, as acetate: 0.1 mg

Fluocinolone (Topical)

Outpatient Formulary Brands Available Derma-Smoothe/FS®

Outpatient Dosage Forms

Oil, topical, as acetonide [scalp oil]:
Derma-Smoothe/FS®: 0.01% (120 mL) [contains isopropyl alcohol, peanut oil]

Fluocinonide

Outpatient Dosage Forms

Cream, anhydrous, emollient, topical: 0.05% (15 g, 30 g, 60 g, 120 g) [BCF]
Gel, topical: 0.05% (60 g)

Ointment, topical: 0.05% (15 g)
Solution, topical: 0.05% (60 mL)

Fluorescein and Benoxinate

Outpatient Formulary Brands Available Fluress®

Outpatient Dosage Forms

Solution, ophthalmic [drops]:
Fluress®: Fluorescein sodium 0.25% and benoxinate hydrochloride 0.4% (5 mL)

Fluoride

Outpatient Formulary Brands Available Gel-Kam® [OTC]; Luride® Lozi-Tab®; PreviDent® 5000 Plus®

Outpatient Dosage Forms

Cream, oral, as sodium [toothpaste]:
PreviDent® 5000 Plus®: 1.1% (51 g) [contains sodium benzoate; spearmint flavor; equivalent to fluoride 2.5 mg/dose]
Gel, topical, as stannous fluoride:
Gel-Kam®: 0.4% (129 g) [fruit & berry flavor]
Tablet, chewable, oral, as sodium: 2.2 mg [equivalent to fluoride 1 mg]

Fluorometholone

Outpatient Formulary Brands Available FML®

Outpatient Dosage Forms

Suspension, ophthalmic, as base [drops]:
FML®: 0.1% (10 mL) [contains benzalkonium chloride]

Fluorouracil (Topical)

Outpatient Formulary Brands Available Efudex®

Outpatient Dosage Forms

Cream, topical:
Efudex®: 5% (40 g)

FLUoxetine

Outpatient Formulary Brands Available PROzac

Outpatient Dosage Forms

Capsule, Oral:
PROzac: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF]
Generic: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF]
Solution, Oral: 20 mg/5 mL (5 mL, 120 mL) [BCF]
Tablet, Oral:
Generic: 60 mg

Flurandrenolide

Outpatient Formulary Brands Available Cordran®

Outpatient Dosage Forms

Tape, topical [roll]:
Cordran®: 4 mcg/cm² (80 inch)

Flurbiprofen (Ophthalmic)

Outpatient Formulary Brands Available Ocufen®

Outpatient Dosage Forms

Solution, ophthalmic, as sodium [drops]:
Ocufen®: 0.03% (2.5 mL)

Fluticasone and Salmeterol

Outpatient Formulary Brands Available Advair Diskus®; Advair® HFA

Outpatient Dosage Forms

Aerosol, for oral inhalation:
Advair® HFA:
45/21: Fluticasone propionate 45 mcg and salmeterol 21 mcg per inhalation (8 g) [chlorofluorocarbon free; 60 metered actuations] [BCF]
45/21: Fluticasone propionate 45 mcg and salmeterol 21 mcg per inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF]
115/21: Fluticasone propionate 115 mcg and salmeterol 21 mcg per inhalation (8 g) [chlorofluorocarbon free; 60 metered actuations] [BCF]
115/21: Fluticasone propionate 115 mcg and salmeterol 21 mcg per inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF]
230/21: Fluticasone propionate 230 mcg and salmeterol 21 mcg per inhalation (8 g) [chlorofluorocarbon free; 60 metered actuations] [BCF]
230/21: Fluticasone propionate 230 mcg and salmeterol 21 mcg per inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF]
Powder, for oral inhalation:
Advair Diskus®:
100/50: Fluticasone propionate 100 mcg and salmeterol 50 mcg (14s, 60s) [contains lactose] [BCF]
250/50: Fluticasone propionate 250 mcg and salmeterol 50 mcg (14s, 60s) [contains lactose] [BCF]
500/50: Fluticasone propionate 500 mcg and salmeterol 50 mcg (14s, 60s) [contains lactose] [BCF]

Fluticasone (Nasal)

Outpatient Formulary Brands Available Flonase®

Outpatient Dosage Forms

Suspension, intranasal, as propionate [spray]: 50 mcg/inhalation (16 g) [BCF]
Flonase®: 50 mcg/inhalation (16 g) [contains benzalkonium chloride; 120 metered actuations] [BCF]

Fluticasone (Oral Inhalation)

Outpatient Formulary Brands Available Flovent® Diskus®; Flovent® HFA

Outpatient Dosage Forms

Aerosol, for oral inhalation, as propionate:
Flovent® HFA:
44 mcg/inhalation (10.6 g) [chlorofluorocarbon free; 120 metered actuations] [BCF]
110 mcg/inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF]
220 mcg/inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF]
Powder, for oral inhalation, as propionate:
Flovent® Diskus®:
50 mcg (60s) [contains lactose] [BCF]
100 mcg (60s) [contains lactose] [BCF]
250 mcg (60s) [contains lactose] [BCF]

Folic Acid

Outpatient Dosage Forms

Tablet, oral: 1 mg [BCF]

Fosfomycin

Outpatient Dosage Forms

Packet, Oral:
Generic: 3 g (1 ea)

Furosemide

Outpatient Dosage Forms

Solution, oral: 10 mg/mL (60 mL, 120 mL) [BCF]
Tablet, oral: 20 mg [BCF], 40 mg [BCF]

Gabapentin

Outpatient Formulary Brands Available Neurontin®

Outpatient Dosage Forms

Capsule, oral: 100 mg [BCF], 300 mg [BCF], 400 mg [BCF]
Neurontin®: 100 mg [BCF], 300 mg [BCF], 400 mg [BCF]
Tablet, oral: 600 mg [BCF], 800 mg [BCF]

Ganciclovir (Ophthalmic)

Outpatient Formulary Brands Available Zirgan®

Outpatient Dosage Forms

Gel, ophthalmic [drops]:
Zirgan®: 0.15% (5 g) [contains benzalkonium chloride]

Gatifloxacin

Outpatient Formulary Brands Available Zymaxid™

Outpatient Dosage Forms

Solution, ophthalmic [drops]:
Zymaxid™: 0.5% (2.5 mL) [contains benzalkonium chloride]

Gemfibrozil

Outpatient Dosage Forms

Tablet, oral: 600 mg [BCF]

Gentamicin (Ophthalmic)

Outpatient Formulary Brands Available Gentak®

Outpatient Dosage Forms

Ointment, ophthalmic:
Gentak®: 0.3% (3.5 g) [BCF]
Solution, ophthalmic [drops]: 0.3% (5 mL, 15 mL) [BCF]

Gentamicin (Topical)

Outpatient Dosage Forms

Cream, topical: 0.1% (15 g)

GlipiZIDE

Outpatient Formulary Brands Available Glucotrol XL®; Glucotrol®

Outpatient Dosage Forms

Tablet, oral: 5 mg [BCF], 10 mg [BCF]
Glucotrol®: 5 mg [BCF], 10 mg [BCF] [scored; dye free]
Tablet, extended release, oral:
Glucotrol XL®: 2.5 mg, 5 mg, 10 mg

Glucagon

Outpatient Dosage Forms

Powder, Nasal [preservative free]:
Baqsimi One Pack: 3 mg/dose (1 ea)
Baqsimi Two Pack: 3 mg/dose (1 ea)

GlyBURIDE

Outpatient Formulary Brands Available Glynase® PresTab®

Outpatient Dosage Forms

Tablet, oral: 1.25 mg [BCF], 2.5 mg [BCF], 5 mg [BCF]
Tablet, oral [micronized]: 1.5 mg [BCF], 3 mg [BCF], 5 mg [BCF], 6 mg [BCF]
Glynase® PresTab®: 1.5 mg [BCF], 3 mg [BCF], 6 mg [BCF] [scored]

Glycerin

Outpatient Formulary Brands Available Fleet® Pedia-Lax™ Glycerin Suppositories [OTC]

GLYCERIN

Outpatient Dosage Forms

Suppository, rectal [adult]: 82.5% (12s)
Suppository, rectal [pediatric]:
Fleet® Pedia-Lax™ Glycerin Suppositories: 1 g (12s)

Goserelin

Outpatient Dosage Forms

Implant, subcutaneous:
Zoladex®: 3.6 mg (1s) [1 month implant] [BCF]
Zoladex®: 10.8 mg (1s) [3 month implant] [BCF]

Griseofulvin

Outpatient Dosage Forms

Suspension, oral [microsize]: 125 mg/5 mL (120 mL) [BCF]

Guaifenesin and Dextromethorphan

Outpatient Dosage Forms

Syrup, oral: Guaifenesin 100 mg and dextromethorphan hydrobromide 10 mg per 5 mL (118 mL)

Guaifenesin and Pseudoephedrine

Outpatient Formulary Brands Available Mucinex® D [OTC]

Outpatient Dosage Forms

Tablet, extended release, oral:
Mucinex® D: Guaifenesin 600 mg and pseudoephedrine hydrochloride 60 mg

GuanFACINE

Outpatient Formulary Brands Available Intuniv; Tenex

Outpatient Dosage Forms

Tablet, Oral:
Tenex: 1 mg [contains fd&c red #40 aluminum lake]
Tenex: 2 mg [contains fd&c yellow #10 aluminum lake]
Tablet Extended Release 24 Hour, Oral:
Intuniv: 1 mg, 2 mg, 3 mg, 4 mg

Haloperidol

Outpatient Formulary Brands Available Haldol®; Haldol® Decanoate

Outpatient Dosage Forms

Injection, oil, as decanoate [strength expressed as base]: 50 mg/mL (1 mL)
Haldol® Decanoate: 50 mg/mL (1 mL) [contains benzyl alcohol, sesame oil]
Injection, solution, as lactate [strength expressed as base]: 5 mg/mL (1 mL)
Haldol®: 5 mg/mL (1 mL)
Tablet, oral: 1 mg, 2 mg, 5 mg

HydrALAZINE

Outpatient Dosage Forms

Injection, solution, as hydrochloride: 20 mg/mL (1 mL)
Tablet, oral, as hydrochloride: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF]

HydroCHLORothiazide

Outpatient Dosage Forms

Capsule, oral: 12.5 mg [BCF]
Tablet, oral: 25 mg [BCF], 50 mg [BCF]

Hydrochlorothiazide and Triamterene

Outpatient Dosage Forms

Tablet, oral: Hydrochlorothiazide 25 mg and triamterene 37.5 mg [BCF]; hydrochlorothiazide 50 mg and triamterene 75 mg [BCF]

Hydrocodone and Acetaminophen

Outpatient Dosage Forms

Solution, oral: Hydrocodone bitartrate 7.5 mg and acetaminophen 500 mg per 15 mL (118 mL)
Tablet, oral: Hydrocodone bitartrate 10 mg and acetaminophen 325 mg, Hydrocodone bitartrate 5 mg and acetaminophen 325 mg, Hydrocodone bitartrate 7.5 mg and acetaminophen 325 mg

Hydrocodone and Ibuprofen

Outpatient Formulary Brands Available Reprexain™

Outpatient Dosage Forms

Tablet, oral: Hydrocodone bitartrate 5 mg and ibuprofen 200 mg
Reprexain™: 5/200: Hydrocodone bitartrate 5 mg and ibuprofen 200 mg

Hydrocortisone (Systemic)

Outpatient Formulary Brands Available Cortef®

Outpatient Dosage Forms

Tablet, oral, as base:
Cortef®: 10 mg, 20 mg [scored]

Hydrocortisone (Topical)

Outpatient Dosage Forms

Cream, topical, as base: 0.5% (30 g); 1% (30 g); 2.5% (28.35 g, 30 g) [BCF]
Cream, topical, as valerate: 0.2% (45 g)
Powder, for prescription compounding, as acetate [micronized]: USP: 100% (25 g)
Suppository, rectal, as acetate: 25 mg (12s) [BCF]

Hydroquinone

Outpatient Dosage Forms

Cream, topical: 4% (28.35 g)

Hydroxychloroquine

Outpatient Formulary Brands Available Plaquenil®

Outpatient Dosage Forms

Tablet, oral, as sulfate: 200 mg [equivalent to 155 mg base]
Plaquenil®: 200 mg [equivalent to 155 mg base]

Hydroxyurea

Outpatient Formulary Brands Available Hydrea®

Outpatient Dosage Forms

Capsule, oral: 500 mg
Hydrea®: 500 mg

HydrOXYzine

Outpatient Dosage Forms

Capsule, Oral, as pamoate:
Generic: 25 mg
Solution, Oral, as hydrochloride:
Generic: 10 mg/5 mL (473 mL) [BCF]
Syrup, Oral, as hydrochloride:
Generic: 10 mg/5 mL (118 mL, 473 mL) [BCF]
Tablet, Oral, as hydrochloride:
Generic: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF]

Hyoscyamine

Outpatient Formulary Brands Available Symax® SL

Outpatient Dosage Forms

Elixir, oral, as sulfate: 0.125 mg/5 mL (473 mL)
Tablet, sublingual, as sulfate:
Symax® SL: 0.125 mg
Tablet, sustained release, oral, as sulfate: 0.375 mg

Hyoscyamine, Atropine, Scopolamine, and Phenobarbital

Outpatient Dosage Forms

Elixir, oral: Hyoscyamine sulfate 0.1037 mg, atropine sulfate 0.0194 mg, scopolamine hydrobromide 0.0065 mg, and phenobarbital 16.2 mg per 5 mL (473 mL)

Ibandronate

Outpatient Dosage Forms

Tablet, oral: 150 mg

Ibuprofen

Outpatient Formulary Brands Available Ibu®

Outpatient Dosage Forms

Suspension, oral: 100 mg/5 mL (120 mL)
Tablet, oral: 200 mg, 400 mg [BCF], 600 mg [BCF], 800 mg [BCF]
Ibu®: 400 mg [BCF], 600 mg [BCF], 800 mg [BCF]

Imipramine

Outpatient Formulary Brands Available Tofranil®

Outpatient Dosage Forms

Capsule, oral, as pamoate: 75 mg [BCF]
Tablet, oral, as hydrochloride: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF]
Tofranil®: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF]

Imiquimod

Outpatient Formulary Brands Available Aldara®

Outpatient Dosage Forms

Cream, topical: 5% (24s)
Aldara®: 5% (24s) [contains benzyl alcohol; 0.25 g/packet]

Indapamide

Outpatient Dosage Forms

Tablet, oral: 2.5 mg

Inhalation Devices

Outpatient Dosage Forms

Inhalation Spacer: Small, medium, large [BCF]

Insulin Aspart

Outpatient Formulary Brands Available NovoLOG®; NovoLOG® FlexPen®

Outpatient Dosage Forms

Injection, solution:
NovoLOG®: 100 units/mL (3 mL, 10 mL) [BCF]
NovoLOG® FlexPen®: 100 units/mL (3 mL) [BCF]

Insulin Aspart Protamine and Insulin Aspart

Outpatient Formulary Brands Available NovoLOG® Mix 70/30; NovoLOG® Mix 70/30 FlexPen®

Outpatient Dosage Forms

Injection, suspension:
NovoLOG® Mix 70/30: Insulin aspart protamine suspension 70% [intermediate acting] and insulin aspart solution 30% [rapid acting]: 100 units/mL (10 mL) [BCF]
NovoLOG® Mix 70/30 FlexPen®: 100 units/mL: Insulin aspart protamine suspension 70% [intermediate acting] and insulin aspart solution 30% [rapid-acting] (3 mL) [BCF]

Insulin Detemir

Outpatient Formulary Brands Available Levemir

Outpatient Dosage Forms

Solution, Subcutaneous:
Levemir: 100 units/mL (10 mL) [contains metacresol, phenol]

Insulin Glargine

Outpatient Formulary Brands Available Lantus®

Outpatient Dosage Forms

Injection, solution:
Lantus®: 100 units/mL (3 mL, 10 mL) [BCF]

Insulin NPH

Outpatient Formulary Brands Available NovoLIN® N

Outpatient Dosage Forms

Injection, suspension:
NovoLIN® N: 100 units/mL (10 mL) [BCF]

Insulin NPH and Insulin Regular**Outpatient Dosage Forms**

Injection, suspension:
HumuLIN® 70/30: 100 units/mL: Insulin NPH suspension 70% [intermediate acting] and insulin regular solution 30% [short-acting] (3 mL, 10 mL) [BCF]
NovoLIN® 70/30: Insulin NPH suspension 70% [intermediate acting] and insulin regular solution 30% [short acting]: 100 units/mL (10 mL) [vial] [BCF]

Insulin Regular

Outpatient Formulary Brands Available NovoLIN® R

Outpatient Dosage Forms

Injection, solution:
NovoLIN® R: 100 units/mL (10 mL) [BCF]

Ipratropium and Albuterol

Outpatient Formulary Brands Available Combivent®

Outpatient Dosage Forms

Aerosol, for oral inhalation:
Combivent®: Ipratropium bromide 18 mcg and albuterol (base) 90 mcg per inhalation (14.7 g) [contains chlorofluorocarbon, soya lecithin; 200 metered actuations] [BCF]

Ipratropium (Nasal)**Outpatient Dosage Forms**

Solution, Nasal, as bromide:
Generic: 0.03% (30 mL); 0.06% (15 mL)

Ipratropium (Oral Inhalation)

Outpatient Formulary Brands Available Atrovent® HFA

Outpatient Dosage Forms

Aerosol, for oral inhalation, as bromide:
Atrovent® HFA: 17 mcg/actuation (12.9 g) [chlorofluorocarbon free; 200 metered actuations] [BCF]
Solution, for nebulization, as bromide: 0.02% [500 mcg/2.5 mL] (2 mL, 2.5 mL, 25s, 30s, 60s)
Solution, for nebulization, as bromide [preservative free]: 0.02% [500 mcg/2.5 mL] (25s, 30s, 60s)

Isoniazid**Outpatient Dosage Forms**

Solution, oral: 50 mg/5 mL (473 mL)
Tablet, oral: 100 mg [BCF], 300 mg [BCF]

Isosorbide Dinitrate**Outpatient Dosage Forms**

Tablet, Oral:
Generic: 5 mg [BCF], 10 mg [BCF], 20 mg [BCF], 30 mg [BCF]
Tablet Extended Release, Oral:
Generic: 40 mg [BCF]

Isosorbide Mononitrate

Outpatient Formulary Brands Available Imdur

Outpatient Dosage Forms

Tablet Extended Release 24 Hour, Oral:
Imdur: 120 mg [BCF]
Generic: 30 mg [BCF], 60 mg [BCF], 120 mg [BCF]

Ketoconazole (Systemic)**Outpatient Dosage Forms**

Tablet, oral: 200 mg

Ketoconazole (Topical)

Outpatient Formulary Brands Available Nizoral®

Outpatient Dosage Forms

Cream, topical: 2% (30 g)
Shampoo, topical:
Nizoral®: 2% (120 mL)

Ketorolac (Ophthalmic)

Outpatient Formulary Brands Available Acular LS

Outpatient Dosage Forms

Solution, Ophthalmic, as tromethamine [drops]:
Acular LS: 0.4% (5 mL) [contains benzalkonium chloride]
Generic: 0.5% (5 mL, 10 mL)

Ketorolac (Systemic)**Outpatient Dosage Forms**

Tablet, oral, as tromethamine:

Labetalol**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 200 mg

Lactic Acid and Ammonium Hydroxide

Outpatient Formulary Brands Available Lac-Hydrin® 12%

Outpatient Dosage Forms

Lotion, topical:
Lac-Hydrin® 12%: Lactic acid 12% mg with ammonium hydroxide (225 g)

Lactulose**Outpatient Dosage Forms**

Solution, oral: 10 g/15 mL (15 mL, 30 mL, 237 mL, 473 mL, 500 mL, 946 mL, 1892 mL) [BCF]
Solution, oral/rectal: 10 g/15 mL (237 mL, 473 mL, 946 mL) [BCF]

LamoTRigine

Outpatient Formulary Brands Available LaMICtal; LaMICtal ODT; LaMICtal XR

Outpatient Dosage Forms

Tablet, Oral:
LaMICtal: 25 mg, 100 mg, 150 mg, 200 mg [scored]
Generic: 25 mg, 100 mg, 150 mg, 200 mg
Tablet Dispersible, Oral:
LaMICtal ODT: 25 mg, 50 mg
Tablet Extended Release 24 Hour, Oral:
LaMICtal XR: 25 mg, 50 mg, 100 mg [contains polysorbate 80]

Latanoprost

Outpatient Formulary Brands Available Xalatan®

Outpatient Dosage Forms

Solution, ophthalmic [drops]:
Xalatan®: 0.005% (2.5 mL) [contains benzalkonium chloride] [BCF]

Leuprolide**Outpatient Dosage Forms**

Kit, Intramuscular, as acetate:
Lupron Depot (1-Month): 7.5 mg
Kit, Intramuscular, as acetate [preservative free]:
Lupron Depot (1-Month): 3.75 mg
Lupron Depot (1-Month): 11.25 mg
Lupron Depot-Ped (1-Month): 7.5 mg, 11.25 mg

Levalbuterol

Outpatient Formulary Brands Available Xopenex HFA™; Xopenex®

Outpatient Dosage Forms

Aerosol, for oral inhalation, as tartrate [strength expressed as base]:
Xopenex HFA™: 45 mcg/actuation (15 g) [chlorofluorocarbon free; 200 actuations]
Solution, for nebulization, as hydrochloride [strength expressed as base, preservative free]:
Xopenex®: 0.31 mg/3 mL (24s); 0.63 mg/3 mL (24s); 1.25 mg/3 mL (24s)

LevoFLOXacin (Systemic)

Outpatient Formulary Brands Available Levaquin®

Outpatient Dosage Forms

Solution, oral:
Levaquin®: 25 mg/mL (480 mL) [contains benzyl alcohol, propylene glycol] [BCF]
Tablet, oral: 250 mg [BCF]
Levaquin®: 500 mg [BCF], 750 mg [BCF]

Levonorgestrel (Systemic)**Outpatient Dosage Forms**

Tablet, oral:
Next Choice: 0.75 mg
Plan B One Step: 1.5 mg [BCF]

Levothyroxine

Outpatient Formulary Brands Available Synthroid®

Outpatient Dosage Forms

Tablet, oral, as sodium: 25 mcg [BCF], 50 mcg [BCF], 75 mcg [BCF], 88 mcg [BCF], 100 mcg [BCF], 112 mcg [BCF], 125 mcg [BCF], 137 mcg [BCF], 150 mcg [BCF], 175 mcg [BCF], 200 mcg [BCF], 300 mcg [BCF]
Synthroid®: 25 mcg [BCF], 50 mcg [BCF], 75 mcg [BCF], 88 mcg [BCF], 100 mcg [BCF], 112 mcg [BCF], 125 mcg [BCF], 137 mcg [BCF], 150 mcg [BCF], 175 mcg [BCF], 200 mcg [BCF], 300 mcg [BCF]

Lidocaine and Prilocaine

Outpatient Formulary Brands Available Emla®

Outpatient Dosage Forms

Cream, topical [preservative free]: Lidocaine 2.5% and prilocaine 2.5% (30 g)
Emla®: Lidocaine 2.5% and prilocaine 2.5% (30 g)

Lidocaine (Topical)

Outpatient Formulary Brands Available Lidoderm®

LIDOCAINE (TOPICAL)

Outpatient Dosage Forms

Jelly, topical, as hydrochloride: 2% (5 mL, 10 mL, 20 mL)
Ointment, topical: 5% (35.4 g)
Patch, topical:
Lidoderm®: 5% (30s)
Solution, viscous, oral topical, as hydrochloride: 2% [20 mg/mL] (100 mL)

LinaCLOtide

Outpatient Formulary Brands Available Linzess

Outpatient Dosage Forms
Capsule, Oral:
Linzess: 145 mcg, 290 mcg

Liothyronine

Outpatient Formulary Brands Available Cytomel®

Outpatient Dosage Forms
Tablet, oral: 5 mcg, 25 mcg
Cytomel®: 5 mcg
Cytomel®: 25 mcg [scored]

Lisdexamfetamine

Outpatient Dosage Forms

Capsule, Oral, as dimesylate:
Vyvanse: 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg, 70 mg
Tablet Chewable, Oral, as dimesylate:
Vyvanse: 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg

Lisinopril

Outpatient Dosage Forms

Tablet, oral: 2.5 mg [BCF], 5 mg [BCF], 10 mg [BCF], 20 mg [BCF], 30 mg [BCF], 40 mg [BCF]

Lisinopril and Hydrochlorothiazide

Outpatient Dosage Forms

Tablet, oral:
10/12.5: Lisinopril 10 mg and hydrochlorothiazide 12.5 mg [BCF]
20/12.5: Lisinopril 20 mg and hydrochlorothiazide 12.5 mg [BCF]
20/25: Lisinopril 20 mg and hydrochlorothiazide 25 mg [BCF]

Lithium

Outpatient Dosage Forms

Capsule, oral, as carbonate: 150 mg [BCF], 300 mg [BCF]
Solution, oral, as citrate: 300 mg/5 mL (5 mL, 500 mL) [equivalent to amount of lithium in lithium carbonate] [BCF]

Loperamide

Outpatient Dosage Forms

Capsule, oral, as hydrochloride: 2 mg [BCF]
Liquid, oral, as hydrochloride: 1 mg/5 mL (120 mL)

LORazepam

Outpatient Formulary Brands Available Ativan®

Outpatient Dosage Forms

Tablet, oral: 0.5 mg
Ativan®: 1 mg [scored]

Losartan

Outpatient Formulary Brands Available Cozaar®

Outpatient Dosage Forms

Tablet, oral, as potassium: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]
Cozaar®: 25 mg [contains potassium 2.12 mg (0.054 mEq)] [BCF]
Cozaar®: 50 mg [contains potassium 4.24 mg (0.108 mEq)] [BCF]
Cozaar®: 100 mg [contains potassium 8.48 mg (0.216 mEq)] [BCF]

Losartan and Hydrochlorothiazide

Outpatient Formulary Brands Available Hyzaar®

Outpatient Dosage Forms

Tablet, oral:
50/12.5: Losartan potassium 50 mg and hydrochlorothiazide 12.5 mg [BCF]
100/12.5: Losartan potassium 100 mg and hydrochlorothiazide 12.5 mg [BCF]
100/25: Losartan potassium 100 mg and hydrochlorothiazide 25 mg [BCF]
Hyzaar® 50/12.5: Losartan potassium 50 mg and hydrochlorothiazide 12.5 mg [contains potassium 4.24 mg (0.108 mEq)] [BCF]
Hyzaar® 100/12.5: Losartan potassium 100 mg and hydrochlorothiazide 12.5 mg [contains potassium 8.48 mg (0.216 mEq)] [BCF]
Hyzaar® 100/25: Losartan potassium 100 mg and hydrochlorothiazide 25 mg [contains potassium 8.48 mg (0.216 mEq)] [BCF]

Loteprednol

Outpatient Formulary Brands Available Lotemax®

Outpatient Dosage Forms

Suspension, ophthalmic, as etabonate [drops]:
Lotemax®: 0.5% (5 mL) [contains benzalkonium chloride]

Loteprednol and Tobramycin

Outpatient Formulary Brands Available Zylet®

Outpatient Dosage Forms

Suspension, ophthalmic [drops]:
Zylet®: Loteprednol etabonate 0.5% and tobramycin 0.3% (5 mL) [contains benzalkonium chloride]

Lubiprostone

Outpatient Formulary Brands Available Amitiza®

Outpatient Dosage Forms

Capsule, softgel, oral:
Amitiza®: 8 mcg, 24 mcg

Magnesium Hydroxide

Outpatient Formulary Brands Available Milk of Magnesia [OTC]

Outpatient Dosage Forms

Suspension, oral:
Milk of Magnesia: 400 mg/5 mL (360 mL)

Magnesium Oxide

Outpatient Formulary Brands Available Mag-Ox® 400 [OTC]

Outpatient Dosage Forms

Tablet, oral:
Mag-Ox® 400: 400 mg [scored; equivalent to elemental magnesium 240 mg]

Magnesium Sulfate

Outpatient Dosage Forms

Infusion, premixed in water for injection: 40 mg/mL (50 mL, 1000 mL) [equivalent to elemental magnesium 3.94 mg (0.32 mEq)/mL]
Injection, solution: 500 mg/mL (20 mL) [equivalent to elemental magnesium 49.3 mg (4.06 mEq)/mL]
Injection, solution [preservative free]: 500 mg/mL (50 mL) [equivalent to elemental magnesium 49.3 mg (4.06 mEq)/mL]

Meclizine

Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 25 mg

MedroxyPROGESTERone

Outpatient Formulary Brands Available Depo-Provera® Contraceptive; Provera®

Outpatient Dosage Forms

Injection, suspension, as acetate:
Depo-Provera® Contraceptive: 150 mg/mL (1 mL) [contains polysorbate 80]
Tablet, oral, as acetate: 2.5 mg [BCF], 5 mg [BCF], 10 mg [BCF]
Provera®: 2.5 mg [BCF], 5 mg [BCF], 10 mg [BCF] [scored]

Meloxicam

Outpatient Formulary Brands Available Mobic®

Outpatient Dosage Forms

Tablet, oral: 7.5 mg [BCF], 15 mg [BCF]
Mobic®: 7.5 mg [BCF]

Memantine

Outpatient Formulary Brands Available Namenda®

Outpatient Dosage Forms

Tablet, oral, as hydrochloride:
Namenda®: 10 mg

Mesalamine

Outpatient Formulary Brands Available Canasa; Lialda; Pentasa

Outpatient Dosage Forms

Capsule Extended Release, Oral:
Pentasa: 250 mg
Suppository, Rectal:
Canasa: 1000 mg (30 ea, 42 ea)
Tablet Delayed Release, Oral:
Lialda: 1.2 g [BCF]

MetFORMIN

Outpatient Formulary Brands Available Glucophage®

Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 500 mg [BCF], 850 mg [BCF], 1000 mg [BCF]
Glucophage®: 500 mg [BCF], 850 mg [BCF], 1000 mg [BCF]
Tablet, extended release, oral, as hydrochloride: 500 mg [BCF], 750 mg [BCF]

Methodone

Outpatient Formulary Brands Available Methadone Diskets®

Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 5 mg
Tablet, dispersible, oral, as hydrochloride:
Methadone Diskets®: 40 mg [scored; orange-pineapple flavor]

MethIMAzole

Outpatient Formulary Brands Available Tapazole

Outpatient Dosage Forms

Tablet, Oral:
Tapazole: 10 mg [scored]

Methocarbamol

Outpatient Formulary Brands Available Robaxin®

Outpatient Dosage Forms

Tablet, oral: 500 mg [BCF], 750 mg
Robaxin®: 500 mg [scored] [BCF]

Methotrexate**Outpatient Dosage Forms**

Tablet, oral: 2.5 mg [BCF]

Methoxsalen (Topical)**Outpatient Formulary Brands Available** Oxsoralen®**Outpatient Dosage Forms**

Lotion, topical:
Oxsoralen®: 1% (29.57 mL) [contains ethanol 71%]

Methyldopa**Outpatient Dosage Forms**

Tablet, oral: 250 mg

Methylethylgonovine**Outpatient Formulary Brands Available** Methergine®**Outpatient Dosage Forms**

Tablet, oral, as maleate:
Methergine®: 0.2 mg

Methylphenidate**Outpatient Formulary Brands Available** Concerta; Metadate CD; Ritalin**Outpatient Dosage Forms**

Capsule Extended Release, Oral, as hydrochloride:
Metadate CD: 50 mg [DSC] [contains fd&c blue #2 (indigotine)]
Suspension Reconstituted ER, Oral:
Quillivant XR: 25 mg/5 mL (60 mL, 120 mL, 150 mL, 180 mL)
Tablet, Oral, as hydrochloride:
Ritalin: 5 mg, 10 mg
Generic: 5 mg, 10 mg, 20 mg
Tablet Extended Release 24 Hour, Oral, as hydrochloride:
Concerta: 18 mg [BCF], 27 mg [BCF], 36 mg [BCF], 54 mg [BCF]

MethylPREDNISolone**Outpatient Formulary Brands Available** DEPO-Medrol; Medrol; SOLU-Medrol**Outpatient Dosage Forms**

Tablet, oral: 4 mg, 8 mg
Medrol: 8 mg [scored]
Tablet, oral [dose-pack]: 4 mg [21s]

Metoclopramide**Outpatient Dosage Forms**

Solution, oral: 5 mg/5 mL (10 mL, 473 mL) [BCF]
Tablet, oral: 10 mg [BCF]

MetOLazone**Outpatient Formulary Brands Available** Zaroxolyn®**Outpatient Dosage Forms**

Tablet, oral: 2.5 mg, 5 mg
Zaroxolyn®: 2.5 mg, 5 mg

Metoprolol**Outpatient Formulary Brands Available** Toprol-XL®**Outpatient Dosage Forms**

Tablet, oral, as tartrate: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]
Tablet, extended release, oral, as succinate [expressed as mg equivalent to tartrate]: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF], 200 mg [BCF]
Toprol-XL®: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF], 200 mg [BCF] [scored; expressed as mg equivalent to tartrate]

MetroNIDAZOLE (Systemic)**Outpatient Dosage Forms**

Infusion, premixed iso-osmotic sodium chloride solution: 500 mg (100 mL)
Tablet, oral: 250 mg [BCF], 500 mg [BCF]

MetroNIDAZOLE (Topical)**Outpatient Formulary Brands Available** MetroGel-Vaginal; MetroLotion**Outpatient Dosage Forms**

Cream, External:
Generic: 0.75% (45 g)
Gel, Vaginal:
MetroGel-Vaginal: 0.75% (70 g) [BCF]
Generic: 0.75% (70 g) [BCF]
Lotion, External: 0.75% (59 mL)
MetroLotion: 0.75% (59 mL) [contains benzyl alcohol]

Miconazole (Topical)**Outpatient Formulary Brands Available** Zeasorb®-AF [OTC]**Outpatient Dosage Forms**

Powder, topical, as nitrate:
Zeasorb®-AF: 2% (70 g)

Minocycline (Systemic)**Outpatient Dosage Forms**

Capsule, oral: 50 mg

Capsule, pellet filled, oral:

Minocin: 100 mg

Minoxidil (Systemic)**Outpatient Dosage Forms**

Tablet, oral: 2.5 mg, 10 mg

Mirtazapine**Outpatient Formulary Brands Available** Remeron®**Outpatient Dosage Forms**

Tablet, oral: 30 mg, 45 mg
Remeron®: 15 mg [scored]

MiSOPROStol**Outpatient Formulary Brands Available** Cytotec®**Outpatient Dosage Forms**

Tablet, oral:
Cytotec®: 200 mcg [scored]

Mometasone (Nasal)**Outpatient Formulary Brands Available** Nasonex®**Outpatient Dosage Forms**

Suspension, intranasal [spray]:
Nasonex®: 50 mcg/spray (17 g) [contains benzalkonium chloride; delivers 120 sprays]

Mometasone (Oral Inhalation)**Outpatient Formulary Brands Available** Asmanex Twisthaler**Outpatient Dosage Forms**

Powder, for oral inhalation, as furoate:
Asmanex Twisthaler: 110 mcg (30 units) [contains lactose; delivers 100 mcg/actuation]
Asmanex Twisthaler: 220 mcg (14 units, 30 units, 60 units, 120 units) [contains lactose; delivers 200 mcg/actuation]

Montelukast**Outpatient Formulary Brands Available** Singulair®**Outpatient Dosage Forms**

Granules, oral:
Singulair®: 4 mg/packet (30s) [BCF]
Tablet, oral:
Singulair®: 10 mg [contains lactose 89.3 mg/tablet] [BCF]
Tablet, chewable, oral:
Singulair®: 4 mg [contains phenylalanine 0.67 mg/tablet; cherry flavor] [BCF]
Singulair®: 5 mg [contains phenylalanine 0.84 mg/tablet; cherry flavor] [BCF]

Morphine (Systemic)**Outpatient Formulary Brands Available** MS Contin®**Outpatient Dosage Forms**

Solution, oral, as sulfate: 10 mg/5 mL (500 mL)
Tablet, controlled release, oral, as sulfate:
MS Contin®: 15 mg [BCF], 30 mg [BCF], 60 mg [BCF], 100 mg [BCF], 200 mg [BCF]
Tablet, extended release, oral, as sulfate: 15 mg [BCF], 30 mg [BCF], 60 mg [BCF], 100 mg [BCF], 200 mg [BCF]
Tablet, sustained release, oral, as sulfate:
Oramorph® SR: 15 mg [BCF], 30 mg [BCF], 60 mg [BCF], 100 [BCF]

Moxifloxacin (Ophthalmic)**Outpatient Formulary Brands Available** Vigamox®**Outpatient Dosage Forms**

Solution, ophthalmic [drops]:
Vigamox®: 0.5% (3 mL)

Mupirocin**Outpatient Formulary Brands Available** Bactroban®**Outpatient Dosage Forms**

Ointment, topical: 2% (22 g) [BCF]
Bactroban®: 2% (22 g) [contains polyethylene glycol] [BCF]

Nadolol**Outpatient Formulary Brands Available** Corgard**Outpatient Dosage Forms**

Tablet, Oral:
Corgard: 20 mg, 40 mg, 80 mg [scored; contains fd&c blue #2 (indigotine)]

Naproxen**Outpatient Dosage Forms**

Suspension, oral: 125 mg/5 mL (500 mL) [BCF]
Tablet, oral: 250 mg [BCF], 500 mg [BCF]
Tablet, oral, as sodium: 275 mg [equivalent to naproxen base 250 mg], 550 mg [equivalent to naproxen base 500 mg]

Neomycin**Outpatient Dosage Forms**

Tablet, oral, as sulfate: 500 mg

Neomycin, Polymyxin B, and Dexamethasone**Outpatient Formulary Brands Available** Maxitrol®

NEOMYCIN, POLYMYXIN B, AND DEXAMETHASONE

Outpatient Dosage Forms

Ointment, ophthalmic: Neomycin 3.5 mg, polymyxin B sulfate 10,000 units, and dexamethasone 0.1% per g (3.5 g)
Suspension, ophthalmic [drops]:
Maxitrol®: Neomycin 3.5 mg, polymyxin B sulfate 10,000 units, and dexamethasone 0.1% per 1 mL (5 mL) [contains benzalkonium chloride]

Neomycin, Polymyxin B, and Gramicidin

Outpatient Dosage Forms

Solution, ophthalmic [drops]: Neomycin 1.75 mg, polymyxin B 10,000 units, and gramicidin 0.025 mg per 1 mL (10 mL) [BCF]

Neomycin, Polymyxin B, and Hydrocortisone (Ophthalmic)

Outpatient Dosage Forms

Suspension, Ophthalmic:
Generic: Neomycin sulfate 3.5 mg/mL, polymyxin B 10,000 units/mL, and hydrocortisone 1% (7.5 mL)

Neomycin, Polymyxin B, and Hydrocortisone (Otic)

Outpatient Dosage Forms

Solution, Otic:
Generic: Neomycin 3.5 mg, polymyxin B 10,000 units, and hydrocortisone 10 mg per 1 mL (10 mL)
Suspension, Otic:
Generic: Neomycin 3.5 mg, polymyxin B 10,000 units, and hydrocortisone 10 mg per 1 mL (10 mL) [BCF]

Nepafenac

Outpatient Formulary Brands Available Nevanac®

Outpatient Dosage Forms

Suspension, ophthalmic [drops]:
Nevanac®: 0.1% (3 mL) [contains benzalkonium chloride]

Niacin

Outpatient Formulary Brands Available Niaspan®

Outpatient Dosage Forms

Tablet, extended release, oral:
Niaspan®: 500 mg [BCF], 750 mg [BCF], 1000 mg [BCF]

NiCARdipine

Outpatient Dosage Forms

Capsule, oral, as hydrochloride: 20 mg

Nicotine

Outpatient Dosage Forms

Patch, transdermal: 7 mg/24 hours (7s) [BCF]; 14 mg/24 hours (7s) [BCF]; 21 mg/24 hours (7s) [BCF]

NIFEdipine

Outpatient Formulary Brands Available Adalat® CC; Afeditab® CR; Procardia®

Outpatient Dosage Forms

Capsule, softgel, oral:
Procardia®: 10 mg
Tablet, extended release, oral: 30 mg [BCF], 60 mg [BCF], 90 mg [BCF]
Adalat® CC: 30 mg [BCF], 60 mg [BCF], 90 mg [BCF]
Afeditab® CR: 30 mg [BCF], 60 mg [BCF]

Nitrofurantoin

Outpatient Formulary Brands Available Furadantin®

Outpatient Dosage Forms

Capsule, oral [macrocrystal]: 50 mg [BCF]
Capsule, oral [macrocrystal/monohydrate]: 100 mg [BCF]
Suspension, oral:
Furadantin®: 25 mg/5 mL (230 mL)

Nitroglycerin

Outpatient Formulary Brands Available Nitro-Bid®; Nitro-Dur®; Nitrolin-gual®; Nitrostat®

Outpatient Dosage Forms

Ointment, topical:
Nitro-Bid®: 2% (60 g) [~15 mg/inch]
Patch, transdermal: 0.1 mg/hour (30s) [BCF]; 0.2 mg/hour (30s) [BCF]; 0.4 mg/hour (30s) [BCF]; 0.6 mg/hour (30s) [BCF]
Nitro-Dur®: 0.1 mg/hour (30s) [BCF]; 0.2 mg/hour (30s) [BCF]; 0.3 mg/hour (30s) [BCF]; 0.4 mg/hour (30s) [BCF]; 0.6 mg/hour (30s) [BCF]; 0.8 mg/hour (30s) [BCF]
Solution, translingual [spray]:
Nitrolin-gual®:
0.4 mg/spray (4.9 g) [contains ethanol 20%; 60 metered sprays] [BCF]
0.4 mg/spray (12 g) [contains ethanol 20%; 200 metered sprays] [BCF]
Tablet, sublingual:
Nitrostat®: 0.4 mg [BCF], 0.6 mg

Norethindrone

Outpatient Formulary Brands Available Aygestin®

Outpatient Dosage Forms

Tablet, oral, as acetate:
Aygestin®: 5 mg [scored]

Nortriptyline

Outpatient Dosage Forms

Capsule, oral: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF]

Nystatin and Triamcinolone

Outpatient Dosage Forms

Ointment, topical: Nystatin 100,000 units and triamcinolone acetonide 0.1% (15 g)

Nystatin (Oral)

Outpatient Dosage Forms

Suspension, oral: 100,000 units/mL (5 mL, 60 mL, 473 mL, 480 mL) [BCF]

Nystatin (Topical)

Outpatient Dosage Forms

Cream, topical: 100,000 units/g (15 g, 30 g) [BCF]
Ointment, topical: 100,000 units/g (15 g, 30 g) [BCF]
Powder, topical: 100,000 units/g (15 g)

Ofloxacin (Ophthalmic)

Outpatient Formulary Brands Available Ocuflax®

Outpatient Dosage Forms

Solution, ophthalmic [drops]:
Ocuflax®: 0.3% (10 mL) [contains benzalkonium chloride]

Ofloxacin (Otic)

Outpatient Dosage Forms

Solution, otic [drops]: 0.3% (5 mL)

OLANzapine

Outpatient Formulary Brands Available ZyPREXA®; ZyPREXA® Zydis®

Outpatient Dosage Forms

Tablet, oral:
ZyPREXA®: 2.5 mg, 5 mg, 7.5 mg, 10 mg, 15 mg
Tablet, orally disintegrating, oral:
ZyPREXA® Zydis®: 10 mg [contains phenylalanine 0.45 mg/tablet]
ZyPREXA® Zydis®: 20 mg [contains phenylalanine 0.9 mg/tablet]

Olopatadine (Ophthalmic)

Outpatient Formulary Brands Available Pataday; Patanol

Outpatient Dosage Forms

Solution, ophthalmic [drops]:
Pataday: 0.2% (2.5 mL) [contains benzalkonium chloride]
Patanol: 0.1% (5 mL) [contains benzalkonium chloride] [BCF]

Omega-3 Fatty Acids

Outpatient Formulary Brands Available Lovaza

Outpatient Dosage Forms

Capsule, Oral:
Lovaza: 1 g [contains soybean oil, tocopherol, dl-alpha]

Omeprazole

Outpatient Dosage Forms

Capsule, delayed release, oral: 10 mg [BCF], 20 mg [BCF]

Ondansetron

Outpatient Formulary Brands Available Zofran®

Outpatient Dosage Forms

Tablet, oral:
Zofran®: 4 mg
Tablet, orally disintegrating, oral: 4 mg

Oseltamivir

Outpatient Formulary Brands Available Tamiflu®

Outpatient Dosage Forms

Capsule, oral, as phosphate:
Tamiflu®: 75 mg
Powder for suspension, oral:
Tamiflu®: 6 mg/mL (60 mL) [contains sodium benzoate; tutti frutti flavor]

OXcarbazepine

Outpatient Formulary Brands Available Trileptal®

Outpatient Dosage Forms

Suspension, oral: 300 mg/5 mL (250 mL)
Tablet, oral:
Trileptal®: 600 mg [scored]

Oxybutynin

Outpatient Dosage Forms

Syrup, oral, as chloride: 5 mg/5 mL (473 mL)
Tablet, oral, as chloride: 5 mg
Tablet, extended release, oral, as chloride: 5 mg [BCF], 10 mg [BCF], 15 mg [BCF]

OxyCODONE

Outpatient Formulary Brands Available OxyCONTIN®

Outpatient Dosage Forms

Capsule, oral, as hydrochloride: 5 mg
Solution, oral, as hydrochloride: 5 mg/5 mL (500 mL [DSC])

Tablet, controlled release, oral, as hydrochloride:
OxyCONTIN®: 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg

Oxycodone and Acetaminophen

Outpatient Dosage Forms

Tablet, oral: 5/325: Oxycodone hydrochloride 5 mg and acetaminophen 325 mg [BCF]

Oxymetazoline (Nasal)

Outpatient Dosage Forms

Solution, intranasal, as hydrochloride [spray]: 0.05% (15 mL)

Pancrelipase

Outpatient Formulary Brands Available Pancrelipase™

Outpatient Dosage Forms

Capsule, delayed release, enteric coated beads, oral [porcine derived]:
Pancrelipase™: Lipase 5,000 units, protease 17,000 units, amylase 27,000 units

Pantoprazole

Outpatient Dosage Forms

Packet, Oral:
Generic: 40 mg (1 ea, 30 ea) [BCF]
Tablet Delayed Release, Oral:
Generic: 20 mg [BCF], 40 mg [BCF]

PARoxetine

Outpatient Dosage Forms

Tablet, oral, as hydrochloride [strength expressed as base]: 20 mg

Penicillin V Potassium

Outpatient Dosage Forms

Powder for solution, oral: 125 mg/5 mL (100 mL, 200 mL) [BCF]; 250 mg/5 mL (100 mL, 200 mL) [BCF]
Tablet, oral: 250 mg [BCF], 500 mg [BCF]

Pentoxifylline

Outpatient Dosage Forms

Tablet, extended release, oral: 400 mg

Permethrin

Outpatient Dosage Forms

Cream, topical: 5% (60 g) [BCF]

Phenazopyridine

Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 100 mg [BCF], 200 mg [BCF]
Pyridium®: 100 mg [BCF], 200 mg [BCF]

PHENobarbital

Outpatient Dosage Forms

Elixir, oral: 20 mg/5 mL (5 mL, 7.5 mL, 15 mL) [BCF]
Tablet, oral: 15 mg [BCF], 30 mg [BCF], 60 mg [BCF], 100 mg [BCF]

Phenylephrine (Ophthalmic)

Outpatient Dosage Forms

Solution, ophthalmic, as hydrochloride [drops]: 2.5% (15 mL)

Phenytoin

Outpatient Formulary Brands Available Dilantin-125®, Dilantin®

Outpatient Dosage Forms

Capsule, extended release, oral, as sodium: 100 mg [BCF]
Dilantin®: 100 mg [BCF]
Suspension, oral: 100 mg/4 mL (4 mL) [BCF]; 125 mg/5 mL (120 mL, 237 mL, 240 mL) [BCF]
Dilantin-125®: 125 mg/5 mL (240 mL) [contains ethanol ≤0.6%, sodium benzoate; orange-vanilla flavor] [BCF]
Tablet, chewable, oral:
Dilantin®: 50 mg [scored] [BCF]

Phytonadione

Outpatient Formulary Brands Available Mephyton®

Outpatient Dosage Forms

Tablet, oral:
Mephyton®: 5 mg [scored]

Pilocarpine (Ophthalmic)

Outpatient Formulary Brands Available Pilopine HS®

Outpatient Dosage Forms

Gel, ophthalmic, as hydrochloride:
Pilopine HS®: 4% (4 g) [contains benzalkonium chloride] [BCF]
Solution, ophthalmic, as hydrochloride [drops]: 1% (15 mL) [BCF]; 2% (15 mL) [BCF]; 4% (15 mL) [BCF]

Pimecrolimus

Outpatient Formulary Brands Available Elidel®

Outpatient Dosage Forms

Cream, topical:
Elidel®: 1% (30 g, 60 g, 100 g) [BCF]

Pioglitazone

Outpatient Formulary Brands Available Actos®

Outpatient Dosage Forms

Tablet, oral:
Actos®: 30 mg, 45 mg

Piroxicam (Systemic)

Outpatient Dosage Forms

Capsule, oral: 20 mg

Podofilox

Outpatient Formulary Brands Available Condylox®

Outpatient Dosage Forms

Gel, topical:
Condylox®: 0.5% (3.5 g) [contains ethanol]

Polyethylene Glycol 3350

Outpatient Dosage Forms

Powder for solution, oral: 17 g/dose (255 g)

Polyethylene Glycol-Electrolyte Solution

Outpatient Formulary Brands Available Colyte®

Outpatient Dosage Forms

Powder for solution, oral:
Colyte®: PEG 3350 240 g, sodium sulfate 22.72 g, sodium bicarbonate 6.72 g, sodium chloride 5.84 g, and potassium chloride 2.98 g (4000 mL)

Potassium Chloride

Outpatient Formulary Brands Available Klor-Con® 8

Outpatient Dosage Forms

Caplet, extended release, oral: 10 mEq [BCF]
Capsule, extended release, microencapsulated, oral: 10 mEq [BCF]
Infusion, premixed in water for injection [highly concentrated]: 10 mEq (50 mL); 20 mEq (50 mL); 40 mEq (100 mL)
Injection, solution [concentrate]: 2 mEq/mL (250 mL)
Solution, oral: 20 mEq/15 mL (15 mL, 30 mL, 473 mL) [BCF]
Tablet, extended release, microencapsulated, oral: 20 mEq [BCF]
Tablet, extended release, wax matrix, oral: 10 mEq [BCF]
Klor-Con® 8: 8 mEq [600 mg]

Potassium Iodide

Outpatient Formulary Brands Available SSKI®

Outpatient Dosage Forms

Solution, oral:
SSKI®: 1 g/mL (237 mL)

Pramipexole

Outpatient Formulary Brands Available Mirapex®

Outpatient Dosage Forms

Tablet, oral, as dihydrochloride monohydrate:
Mirapex®: 0.125 mg, 0.75 mg
Mirapex®: 0.25 mg, 0.5 mg, 1 mg, 1.5 mg [scored]

Pramoxine and Hydrocortisone

Outpatient Formulary Brands Available Proctofoam® HC

Outpatient Dosage Forms

Aerosol, rectal [foam]:
Proctofoam® HC: Pramoxine hydrochloride 1% and hydrocortisone acetate 1% (10 g)

Pravastatin

Outpatient Formulary Brands Available Pravachol®

Outpatient Dosage Forms

Tablet, oral, as sodium: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF], 80 mg [BCF]
Pravachol®: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF], 80 mg [BCF]

Prazosin

Outpatient Formulary Brands Available Minipress®

Outpatient Dosage Forms

Capsule, oral, as hydrochloride: 2 mg
Minipress®: 1 mg, 5 mg

PrednisoLONE (Ophthalmic)

Outpatient Formulary Brands Available Pred Mild®

Outpatient Dosage Forms

Suspension, ophthalmic, as acetate [drops]: 1% (5 mL, 10 mL, 15 mL) [BCF]
Pred Mild®: 0.12% (5 mL, 10 mL) [contains benzalkonium chloride, sodium bisulfite] [BCF]

PrednisoLONE (Systemic)

Outpatient Dosage Forms

Solution, oral, as sodium phosphate [strength expressed as base]: 15 mg/5 mL (237 mL, 473 mL) [BCF]

PredniSONE

Outpatient Dosage Forms

Tablet, oral: 1 mg [BCF], 5 mg [BCF], 10 mg [BCF], 20 mg [BCF], 50 mg

PRIMAQUINE

Primaquine

Outpatient Dosage Forms

Tablet, oral, as phosphate: 26.3 mg [15 mg base]

Primidone

Outpatient Formulary Brands Available Mysoline®

Outpatient Dosage Forms

Suspension, oral: 250 mg/5 mL, extemporaneously prepared by pharmacy

Tablet, oral:

Mysoline®: 50 mg, 250 mg [scored]

Probenecid

Outpatient Dosage Forms

Tablet, Oral:

Generic: 500 mg [BCF]

Prochlorperazine

Outpatient Dosage Forms

Suppository, rectal: 25 mg (12s)

Tablet, oral, as maleate [strength expressed as base]: 5 mg

Progesterone

Outpatient Formulary Brands Available Prometrium®

Outpatient Dosage Forms

Capsule, oral:

Prometrium®: 200 mg [contains peanut oil]

Promethazine

Outpatient Dosage Forms

Suppository, rectal, as hydrochloride: 12.5 mg (12s) [BCF]; 25 mg (12s) [BCF]

Syrup, oral, as hydrochloride: 6.25 mg/5 mL (118 mL, 473 mL) [BCF]

Tablet, oral, as hydrochloride: 25 mg [BCF]

Promethazine and Dextromethorphan

Outpatient Dosage Forms

Syrup, Oral:

Promethazine hydrochloride 6.25 mg and dextromethorphan hydrobromide 15 mg per 5 mL (480 mL)

Proparacaine

Outpatient Formulary Brands Available Alcaine®

Outpatient Dosage Forms

Solution, ophthalmic, as hydrochloride [drops]:

Alcaine®: 0.5% (15 mL) [contains benzalkonium chloride]

Propranolol

Outpatient Formulary Brands Available Inderal® LA

Outpatient Dosage Forms

Capsule, sustained release, oral, as hydrochloride:

Inderal® LA: 80 mg, 120 mg, 160 mg

Solution, oral, as hydrochloride: 4 mg/mL (500 mL)

Tablet, oral, as hydrochloride: 10 mg, 40 mg

Propylthiouracil

Outpatient Dosage Forms

Tablet, oral: 50 mg [BCF]

Pseudoephedrine

Outpatient Formulary Brands Available Sudafed® Maximum Strength

Nasal Decongestant [OTC]

Outpatient Dosage Forms

Syrup, oral, as hydrochloride: 30 mg/5 mL (118 mL)

Tablet, oral, as hydrochloride:

Sudafed® Maximum Strength Nasal Decongestant: 30 mg [contains sodium benzoate]

Pyrazinamide

Outpatient Dosage Forms

Suspension, oral: 100 mg/mL, extemporaneously prepared by pharmacy

Tablet, oral: 500 mg [BCF]

Pyridostigmine

Outpatient Formulary Brands Available Mestinon®

Outpatient Dosage Forms

Tablet, oral, as bromide:

Mestinon®: 60 mg [scored]

QUetiapine

Outpatient Formulary Brands Available SEROquel XR®; SEROquel®

Outpatient Dosage Forms

Tablet, oral:

SEROquel®: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF], 200 mg [BCF], 300 mg [BCF], 400 mg [BCF]

Tablet, extended release, oral:

SEROquel XR®: 50 mg [BCF], 150 mg [BCF], 200 mg [BCF], 300 mg [BCF], 400 mg [BCF]

RABEprazole

Outpatient Dosage Forms

Capsule Sprinkle, Oral, as sodium:

Generic: 10 mg

Tablet Delayed Release, Oral, as sodium:

Generic: 20 mg

Raloxifene

Outpatient Formulary Brands Available Evista®

Outpatient Dosage Forms

Tablet, oral, as hydrochloride:

Evista®: 60 mg [BCF]

Ramelteon

Outpatient Formulary Brands Available Rozerem®

Outpatient Dosage Forms

Tablet, oral:

Rozerem®: 8 mg

Ramipril

Outpatient Dosage Forms

Capsule, oral: 1.25 mg [BCF], 2.5 mg [BCF], 5 mg [BCF], 10 mg [BCF]

Altace®: 1.25 mg [BCF], 2.5 mg [BCF], 5 mg [BCF], 10 mg [BCF]

RaNITidine (Withdrawn From US Market)

Outpatient Formulary Brands Available Zantac®

Outpatient Dosage Forms

Syrup, oral: 15 mg/mL (10 mL, 473 mL, 480 mL) [BCF]

Zantac®: 15 mg/mL (480 mL) [contains ethanol 7.5%; peppermint flavor] [BCF]

Tablet, oral: 150 mg [BCF]

Remifentanyl

Outpatient Formulary Brands Available Ultiva®

Outpatient Dosage Forms

Injection, powder for reconstitution:

Ultiva®: 1 mg [contains glycine 15 mg]

Reserpine

Outpatient Dosage Forms

Tablet, oral: 0.25 mg

RifAMPin

Outpatient Formulary Brands Available Rifadin®

Outpatient Dosage Forms

Capsule, oral: 300 mg [BCF]

Rifadin®: 300 mg [BCF]

Suspension, oral: 50 mg/mL, extemporaneously prepared by pharmacy

Riluzole

Outpatient Formulary Brands Available Rilutek®

Outpatient Dosage Forms

Tablet, oral:

Rilutek®: 50 mg

RisperidONE

Outpatient Formulary Brands Available RisperDAL®

Outpatient Dosage Forms

Solution, oral: 1 mg/mL (30 mL) [BCF]

RisperDAL®: 1 mg/mL (30 mL) [contains benzoic acid] [BCF]

Tablet, oral: 0.25 mg [BCF], 0.5 mg [BCF], 1 mg [BCF], 2 mg [BCF], 3 mg [BCF], 4 mg [BCF]

Rizatriptan

Outpatient Formulary Brands Available Maxalt-MLT®; Maxalt®

Outpatient Dosage Forms

Tablet, oral:

Maxalt®: 5 mg [BCF], 10 mg [BCF]

Tablet, orally disintegrating:

Maxalt-MLT®:

5 mg [contains phenylalanine 1.05 mg/tablet; peppermint flavor] [BCF]

10 mg [contains phenylalanine 2.1 mg/tablet; peppermint flavor] [BCF]

Rosuvastatin

Outpatient Formulary Brands Available Crestor

Outpatient Dosage Forms

Tablet, Oral:

Crestor: 5 mg, 10 mg, 20 mg, 40 mg

Salmeterol

Outpatient Formulary Brands Available Serevent® Diskus®

Outpatient Dosage Forms

Powder, for oral inhalation:

Serevent® Diskus®: 50 mcg (28s, 60s) [contains lactose] [BCF]

Salsalate

Outpatient Dosage Forms

Tablet, oral: 500 mg [BCF], 750 mg [BCF]

Scopolamine**Outpatient Formulary Brands Available** Transderm Scop®**Outpatient Dosage Forms**

Patch, transdermal:

Transderm Scop®: 1.5 mg (4s) [contains metal; releases ~1 mg over 72 hours]

Scopolamine (Ophthalmic)**Outpatient Formulary Brands Available** Isopto® Hyoscine**Outpatient Dosage Forms**

Solution, ophthalmic, as hydrobromide [drops]:

Isopto® Hyoscine: 0.25% (15 mL) [contains benzalkonium chloride]

Selenium Sulfide**Outpatient Dosage Forms**

Lotion, topical: 2.5% (120 mL) [BCF]

Sertraline**Outpatient Formulary Brands Available** Zoloft®**Outpatient Dosage Forms**

Solution, oral [concentrate]: 20 mg/mL (60 mL) [BCF]

Tablet, oral: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]

Zoloft®: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF] [scored]

Sildenafil**Outpatient Formulary Brands Available** Revatio; Viagra**Outpatient Dosage Forms**

Tablet, Oral:

Revatio: 20 mg

Viagra: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]

Silver Sulfadiazine**Outpatient Formulary Brands Available** Silvadene®; SSD®**Outpatient Dosage Forms**

Cream, topical: 1% (20 g, 25 g, 50 g, 85 g, 400 g) [BCF]

Silvadene®: 1% (20 g, 50 g, 85 g, 400 g, 1000 g) [BCF]

SSD®: 1% (25 g, 50 g, 85 g, 400 g) [BCF]

Simethicone**Outpatient Formulary Brands Available** Infants Gas Relief Drops [OTC]**Outpatient Dosage Forms**

Suspension, oral [drops]:

Infants Gas Relief Drops: 40 mg/0.6 mL (30 mL) [vanilla flavor]

Tablet, chewable, oral: 80 mg

Simvastatin**Outpatient Dosage Forms**

Tablet, oral: 5 mg [BCF], 10 mg [BCF], 20 mg [BCF], 40 mg [BCF], 80 mg

Sirolimus**Outpatient Formulary Brands Available** Rapamune®**Outpatient Dosage Forms**

Tablet, oral:

Rapamune®: 1 mg, 2 mg

SITagliptin**Outpatient Formulary Brands Available** Januvia™**Outpatient Dosage Forms**

Tablet, oral:

Januvia®: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]

Sitagliptin and Metformin**Outpatient Formulary Brands Available** Janumet®**Outpatient Dosage Forms**

Tablet, Oral:

Janumet 50/500: Sitagliptin 50 mg and metformin hydrochloride 500 mg [BCF]

Janumet 50/1000: Sitagliptin 50 mg and metformin hydrochloride 1000 mg [BCF]

Tablet, Extended Release, Oral:

Janumet XR: 50/500: Sitagliptin 50 mg and metformin hydrochloride 500 mg [BCF]

Janumet XR: 50/1000: Sitagliptin 50 mg and metformin hydrochloride 1000 mg [BCF]

Janumet XR: 100/1000: Sitagliptin 100 mg and metformin hydrochloride 1000 mg [BCF]

Sodium Bicarbonate**Outpatient Dosage Forms**

Tablet, oral: 650 mg [7.6 mEq]

Sodium Chloride**Outpatient Formulary Brands Available** Ayr® Saline [OTC]; Muro 128® [OTC]; Nasal Moist® Saline [OTC]**Outpatient Dosage Forms**

Injection, solution: 0.45% (500 mL, 1000 mL); 0.9% (50 mL)

Injection, solution [I.V. flush, preservative free]: 0.9% (5 mL, 10 mL)

Injection, solution [concentrate, preservative free]: 23.4% (30 mL)

Ointment, ophthalmic [preservative free]:

Muro 128®: 5% (3.5 g)

Solution, for irrigation [preservative free]: 0.9% (1000 mL)

Solution, intranasal [drops]:

Ayr® Saline: 0.65% (50 mL) [ethanol free; contains benzalkonium chloride]

Solution, intranasal [spray]:

Nasal Moist® Saline: 0.65% (45 mL)

Solution, ophthalmic [drops]:

Muro 128®: 5% (15 mL)

Sodium Citrate and Citric Acid**Outpatient Dosage Forms**

Solution, oral: Sodium citrate 500 mg and citric acid 334 mg per 5 mL (480 mL)

Sodium Phosphates**Outpatient Formulary Brands Available** Fleet® Enema [OTC]**Outpatient Dosage Forms**

Solution, rectal [enema]:

Fleet® Enema: Monobasic sodium phosphate monohydrate 19 g and dibasic sodium phosphate heptahydrate 7 g per 118 mL delivered dose (133 mL) [contains sodium 4.4 g/118 mL]

Somatropin**Outpatient Formulary Brands Available** Tev-Tropin®**Outpatient Dosage Forms**

Injection, powder for reconstitution [rDNA origin]:

Tev-Tropin®: 5 mg [contains benzyl alcohol (in diluent)]

Spironolactone**Outpatient Dosage Forms**

Tablet, oral: 25 mg [BCF]

Aldactone®: 25 mg [BCF]

Sucralfate**Outpatient Formulary Brands Available** Carafate®**Outpatient Dosage Forms**

Tablet, oral:

Carafate®: 1 g [scored]

Sulfacetamide and Prednisolone**Outpatient Formulary Brands Available** Blephamide®**Outpatient Dosage Forms**

Ointment, ophthalmic:

Blephamide®: Sulfacetamide sodium 10% and prednisolone acetate 0.2% (3.5 g)

Suspension, ophthalmic [drops]:

Blephamide®: Sulfacetamide sodium 10% and prednisolone acetate 0.2% (10 mL) [contains benzalkonium chloride]

Sulfacetamide (Ophthalmic)**Outpatient Dosage Forms**

Solution, ophthalmic, as sodium [drops]: 10% (15 mL) [BCF]

Sulfamethoxazole and Trimethoprim**Outpatient Dosage Forms**

Suspension, Oral:

Generic: Sulfamethoxazole 200 mg and trimethoprim 40 mg per 5 mL (20 mL, 473 mL) [BCF]

Tablet, Oral:

Generic: Sulfamethoxazole 400 mg and trimethoprim 80 mg [BCF]; Sulamethoxazole 800 mg and trimethoprim 160 mg [BCF]

SulfaSALazine**Outpatient Formulary Brands Available** Azulfidine EN-tabs®**Outpatient Dosage Forms**

Tablet, oral: 500 mg [BCF]

Tablet, delayed release, enteric coated, oral: 500 mg [BCF]

Azulfidine EN-tabs®: 500 mg [BCF]

SUMatriptan**Outpatient Formulary Brands Available** Imitrex; Imitrex STATdose SYSTEM**Outpatient Dosage Forms**

Solution Auto-injector, Subcutaneous, as succinate [strength expressed as base]:

Imitrex: 6 mg/0.5 mL (0.5 mL)

Imitrex STATdose System: 6 mg/0.5 mL (0.5 mL) [BCF]

Generic: 6 mg/0.5 mL (0.5 mL) [BCF]

Solution, Nasal:

Generic: 5 mg/actuation (1 ea); 20 mg/actuation (1 ea)

Tablet, Oral, as succinate [strength expressed as base]:

Generic: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]

Tacrolimus (Topical)**Outpatient Formulary Brands Available** Protopic®**Outpatient Dosage Forms**

Ointment, topical:

Protopic®: 0.03% (30 g); 0.1% (30 g)

TAMOXIFEN

Tamoxifen

Outpatient Dosage Forms

Tablet, oral: 10 mg [BCF], 20 mg [BCF]

Tamsulosin

Outpatient Dosage Forms

Capsule, oral, as hydrochloride: 0.4 mg [BCF]
Tablet, oral, as hydrochloride: 0.4 mg

Telmisartan

Outpatient Formulary Brands Available

 Micardis

Outpatient Dosage Forms

Tablet, oral:
Micardis: 20 mg, 40 mg, 80 mg

Telmisartan and Hydrochlorothiazide

Outpatient Formulary Brands Available

 Micardis HCT

Outpatient Dosage Forms

Tablet, oral:
Micardis HCT: 40/12.5: Telmisartan 40 mg and hydrochlorothiazide 12.5 mg
Micardis HCT: 80/12.5: Telmisartan 80 mg and hydrochlorothiazide 12.5 mg
Micardis HCT: 80/25: Telmisartan 80 mg and hydrochlorothiazide 25 mg

Tamazepam

Outpatient Dosage Forms

Capsule, oral: 15 mg [BCF], 30 mg [BCF]

Terazosin

Outpatient Dosage Forms

Capsule, oral: 1 mg [BCF], 2 mg [BCF], 5 mg [BCF], 10 mg [BCF]

Terbinafine (Systemic)

Outpatient Formulary Brands Available

 Lamisil®

Outpatient Dosage Forms

Tablet, oral:
Lamisil®: 250 mg

Terbutaline

Outpatient Dosage Forms

Solution, for inhalation: 0.2 mg/dose, **extemporaneously prepared by pharmacy**
Tablet, oral, as sulfate: 2.5 mg, 5 mg

Terconazole

Outpatient Formulary Brands Available

 Terazol® 3

Outpatient Dosage Forms

Suppository, vaginal:
Terazol® 3: 80 mg (3s) [contains coconut oil (may have trace amounts), palm kernel oil (may have trace amounts)]

Testosterone

Outpatient Formulary Brands Available

 AndroGel®; First®-Testosterone

Outpatient Dosage Forms

Gel, topical:
AndroGel®: 1% [5 g gel/packet] (30s); 1% [2.5 g gel/packet] (30s) [contains ethanol 67%; may be chemically synthesized from soy]
Injection, oil, as cypionate:
Depo®-Testosterone: 200 mg/mL (1 mL) [contains benzyl alcohol, benzyl benzoate, cottonseed oil]
Injection, oil, as enanthate:
Delatestryl®: 200 mg/mL (5 mL) [contains sesame oil]
Ointment, topical [compounding kit]:
First®-Testosterone: 2% (60 g) [contains benzyl alcohol, sesame oil]

Tetracycline (Systemic)

Outpatient Dosage Forms

Capsule, oral, as hydrochloride: 250 mg [BCF], 500 mg [BCF]

Theophylline

Outpatient Formulary Brands Available

 Theo-24

Outpatient Dosage Forms

Capsule Extended Release 24 Hour, Oral:
Theo-24: 100 mg, 200 mg, 300 mg, 400 mg
Solution, Oral:
Generic: 80 mg/15 mL (15 mL, 473 mL)
Tablet, Extended Release, Oral:
Generic: 100 mg, 200 mg [BCF], 300 mg [BCF], 400 mg [BCF]

Thiamine

Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 50 mg

Thrombin (Topical)

Outpatient Formulary Brands Available

 Thrombin-JMI®

Outpatient Dosage Forms

Powder for reconstitution, topical [bovine derived, preservative free]:
Thrombin-JMI®: 5000 int. units [supplied with diluent]

Thyroid, Desiccated

Outpatient Formulary Brands Available

 Armour® Thyroid

Outpatient Dosage Forms

Tablet, oral:
Armour® Thyroid: 30 mg, 60 mg

Timolol (Ophthalmic)

Outpatient Dosage Forms

Gel Forming Solution, Ophthalmic, as maleate [strength expressed as base, drops]:
Generic: 0.25% (5 mL); 0.5% (5 mL)
Solution, Ophthalmic, as maleate [strength expressed as base, drops]:
Generic: 0.25% (5 mL, 10 mL, 15 mL) [BCF]; 0.5% (5 mL, 10 mL, 15 mL) [BCF]

Tiotropium

Outpatient Formulary Brands Available

 Spiriva® HandiHaler®

Outpatient Dosage Forms

Powder, for oral inhalation [capsule]:
Spiriva® HandiHaler®: 18 mcg/capsule (30s) [contains lactose] [BCF]

Tobramycin and Dexamethasone

Outpatient Formulary Brands Available

 TobraDex®

Outpatient Dosage Forms

Suspension, ophthalmic [drops]:
TobraDex®: Tobramycin 0.3% and dexamethasone 0.1% (5 mL) [contains benzalkonium chloride]

Tobramycin (Ophthalmic)

Outpatient Formulary Brands Available

 Tobrex®

Outpatient Dosage Forms

Solution, ophthalmic [drops]:
Tobrex®: 0.3% (5 mL) [contains benzalkonium chloride]

Tobramycin (Oral Inhalation)

Outpatient Formulary Brands Available

 TOBI

Outpatient Dosage Forms

Solution, for nebulization [preservative free]:
TOBI®: 300 mg/5 mL (56s)

Tobramycin (Systemic)

Outpatient Dosage Forms

Injection, solution: 40 mg/mL (2 mL)

Tolnaftate

Outpatient Dosage Forms

Powder, topical: 1% (45 g)

Tolterodine

Outpatient Formulary Brands Available

 Detrol® LA

Outpatient Dosage Forms

Capsule, extended release, oral, as tartrate:
Detrol® LA: 2 mg [BCF], 4 mg [BCF]

Topiramate

Outpatient Dosage Forms

Capsule Extended Release 24 Hour, Oral:
Trokendi XR: 25 mg [contains brilliant blue fcf (fd&c blue #1), sodium benzoate]
Trokendi XR: 50 mg, 100 mg, 200 mg [contains brilliant blue fcf (fd&c blue #1), fd&c yellow #6 (sunset yellow), sodium benzoate]
Tablet, Oral:
Generic: 25 mg, 50 mg, 100 mg, 200 mg

TraMADol

Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 50 mg [BCF]

TraZODone

Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 50 mg [BCF], 100 mg [BCF], 150 mg [BCF], 300 mg [BCF]

Tretinoin (Topical)

Outpatient Formulary Brands Available

 Avita

Outpatient Dosage Forms

Cream, External: 0.025% (20 g, 45 g) [BCF]; 0.05% (20 g, 45 g) [BCF]
Avita: 0.025% (20 g, 45 g) [BCF]

Triamcinolone (Topical)

Outpatient Dosage Forms

Cream, topical, as acetone: 0.1% (15 g, 30 g, 80 g, 454 g) [BCF]
Ointment, topical, as acetone: 0.1% (15 g)
Paste, oral topical, as acetone: 0.1% (5 g)

Triazolam

Outpatient Dosage Forms

Tablet, oral: 0.25 mg

Trichloroacetic Acid

Outpatient Formulary Brands Available

 Tri-Chlor®

Outpatient Dosage Forms

Liquid, topical:
Tri-Chlor®: 80% (15 mL)

Trifluridine

Outpatient Formulary Brands Available Viroptic®

Outpatient Dosage Forms
Solution, ophthalmic [drops]:
Viroptic®: 1% (7.5 mL)

Trihexyphenidyl

Outpatient Dosage Forms
Elixir, oral, as hydrochloride: 2 mg/5 mL (473 mL) [BCF]
Tablet, oral, as hydrochloride: 2 mg [BCF], 5 mg

Trimethoprim and Polymyxin B

Outpatient Dosage Forms
Solution, ophthalmic: Trimethoprim 1 mg and polymyxin B sulfate 10,000 units per 1 mL (10 mL) [BCF]

Tropicamide

Outpatient Formulary Brands Available Mydracil®
Outpatient Dosage Forms
Solution, ophthalmic [drops]: 0.5% (15 mL)
Mydracil®: 1% (15 mL) [contains benzalkonium chloride]

Trypsin, Balsam Peru, and Castor Oil

Outpatient Formulary Brands Available Xenaderm®
Outpatient Dosage Forms
Ointment, topical:
Xenaderm®: Trypsin 90 USP units, balsam peru 87 mg, and castor oil 788 mg per gram (60 g)

Typhoid Vaccine

Outpatient Formulary Brands Available Vivotif®
Outpatient Dosage Forms
Capsule, enteric coated, oral [live]:
Vivotif®: Viable *S. typhi* Ty21a 2-6.8 x 10⁹ CFU and nonviable *S. typhi* Ty21a 5-50 x 10⁹ bacterial cells [contains lactose 100-180 mg/capsule, sucrose 26-130 mg/capsule]

Ulipristal

Outpatient Dosage Forms
Tablet, Oral, as acetate:
Ella: 30 mg [BCF]

Urea (Topical)

Outpatient Formulary Brands Available Carmol 10
Outpatient Dosage Forms
Lotion, topical:
Carmol 10: 10% (180 mL)

ValACYclovir

Outpatient Formulary Brands Available Valtrex®
Outpatient Dosage Forms
Caplet, oral:
Valtrex®: 500 mg
Valtrex®: 1 g [scored]

Valproic Acid and Derivatives

Outpatient Formulary Brands Available Depakene®, Depakote®, Depakote® ER; Depakote® Sprinkle
Outpatient Dosage Forms
Capsule, softgel, oral:
Depakene®: 250 mg [strength expressed as valproic acid]
Capsule, sprinkle, oral [strength expressed as valproic acid]: 125 mg [BCF]
Depakote® Sprinkle: 125 mg [BCF] [strength expressed as valproic acid]
Syrup, oral, as valproate sodium:
Depakene®: 250 mg/5 mL (473 mL) [strength expressed as valproic acid]
Tablet, delayed release, oral [strength expressed as valproic acid]: 125 mg [BCF], 250 mg [BCF], 500 mg [BCF]
Depakote®: 125 mg [BCF], 250 mg [BCF], 500 mg [BCF] [strength expressed as valproic acid]
Tablet, extended release, oral [strength expressed as valproic acid]: 250 mg [BCF], 500 mg [BCF]
Depakote® ER: 250 mg [BCF], 500 mg [BCF] [strength expressed as valproic acid]

Valsartan

Outpatient Formulary Brands Available Diovan®
Outpatient Dosage Forms
Tablet, oral:
Diovan®: 40 mg [scored] [BCF], 80 mg [BCF], 160 mg [BCF], 320 mg [BCF]

Valsartan and Hydrochlorothiazide

Outpatient Formulary Brands Available Diovan HCT®
Outpatient Dosage Forms
Tablet, oral:
Diovan HCT®:
80 mg/12.5 mg: Valsartan 80 mg and hydrochlorothiazide 12.5 mg [BCF]

160 mg/12.5 mg: Valsartan 160 mg and hydrochlorothiazide 12.5 mg [BCF]
160 mg/25 mg: Valsartan 160 mg and hydrochlorothiazide 25 mg [BCF]
320 mg/12.5 mg: Valsartan 320 mg and hydrochlorothiazide 12.5 mg [BCF]
320 mg/25 mg: Valsartan 320 mg and hydrochlorothiazide 25 mg [BCF]

Vancomycin

Outpatient Formulary Brands Available Vancocin
Outpatient Dosage Forms
Capsule, Oral:
Vancocin: 125 mg

Varenicline

Outpatient Dosage Forms
Tablet, Oral:
Chantix: 0.5 mg
Chantix: 1 mg [contains fd&c blue #2 aluminum lake]
Chantix Starting Month Pak: 0.5 mg x 11 & 1 mg x 42

Venlafaxine

Outpatient Formulary Brands Available Effexor XR®
Outpatient Dosage Forms
Capsule, extended release, oral:
Effexor XR®: 37.5 mg [BCF], 75 mg [BCF], 150 mg [BCF]
Tablet, oral: 25 mg [BCF], 37.5 mg [BCF], 50 mg [BCF], 75 mg [BCF], 100 mg [BCF]
Tablet, extended release, oral: 225 mg [BCF]

Verapamil

Outpatient Formulary Brands Available Calan®; Calan® SR
Outpatient Dosage Forms
Caplet, sustained release, oral, as hydrochloride:
Calan® SR: 120 mg [BCF], 180 mg [BCF], 240 mg [BCF] [scored]
Tablet, oral, as hydrochloride:
Calan®: 80 mg [scored]
Tablet, extended release, oral, as hydrochloride: 120 mg [BCF], 180 mg [BCF], 240 mg [BCF]
Tablet, sustained release, oral, as hydrochloride: 240 mg [BCF]

Vitamins (Multiple/Oral)

Outpatient Formulary Brands Available Ceravite
Outpatient Dosage Forms
Content varies depending on product used.
Tablet, Oral:
Ceravite

Voriconazole

Outpatient Formulary Brands Available VFEND®
Outpatient Dosage Forms
Tablet, oral:
VFEND®: 200 mg [contains lactose]

Warfarin

Outpatient Formulary Brands Available Coumadin®
Outpatient Dosage Forms
Tablet, oral, as sodium: 1 mg [BCF], 2 mg [BCF], 2.5 mg [BCF], 3 mg [BCF], 4 mg [BCF], 5 mg [BCF], 6 mg [BCF], 7.5 mg [BCF], 10 mg [BCF]
Coumadin®: 1 mg [BCF], 2 mg [BCF], 2.5 mg [BCF], 3 mg [BCF], 4 mg [BCF], 5 mg [BCF], 6 mg [BCF], 7.5 mg [BCF], 10 mg [BCF]

Zinc Oxide

Outpatient Dosage Forms
Ointment, topical: 20% (30 g)

Ziprasidone

Outpatient Formulary Brands Available Geodon®
Outpatient Dosage Forms
Capsule, oral, as hydrochloride:
Geodon®: 40 mg, 60 mg, 80 mg

ZOLMitriptan

Outpatient Formulary Brands Available Zomig-ZMT®; Zomig®
Outpatient Dosage Forms
Tablet, oral:
Zomig®: 5 mg
Tablet, orally disintegrating, oral:
Zomig-ZMT®: 2.5 mg [contains phenylalanine 2.81 mg/tablet; orange flavor]
Zomig-ZMT®: 5 mg [contains phenylalanine 5.62 mg/tablet; orange flavor]

Zolpidem

Outpatient Formulary Brands Available Ambien CR®; Ambien®
Outpatient Dosage Forms
Tablet, oral, as tartrate: 5 mg [BCF], 10 mg [BCF]
Ambien®: 5 mg [BCF], 10 mg [BCF]
Tablet, extended release, oral, as tartrate:
Ambien CR®: 12.5 mg

Therapeutic Category Index

ACETYLCHOLINESTERASE INHIBITOR

Acetylcholinesterase Inhibitor		Morphine (Systemic)	13
Pyridostigmine	16	OxyCODONE	14
Acetylcholinesterase Inhibitor (Central)		Oxycodone and Acetaminophen	15
Donepezil	7	Remifentanil	16
Acne Products		TraMADol	18
Benzoyl Peroxide	3	Analgesic, Topical	
Erythromycin (Topical)	7	Benzocaine	3
Tretinoin (Topical)	18	Capsaicin	4
Adrenergic Agonist Agent		Lidocaine (Topical)	11
Oxymetazoline (Nasal)	15	Analgesic, Urinary	
Aldehyde Dehydrogenase Inhibitor		Phenazopyridine	15
Disulfiram	6	Androgen	
Alkalinizing Agent		Danazol	5
Sodium Bicarbonate	17	Testosterone	18
Alkalinizing Agent, Oral		Anesthetic/Corticosteroid	
Sodium Citrate and Citric Acid	17	Pramoxine and Hydrocortisone	15
Alkylamine Derivative		Anesthetic, Topical	
Chlorpheniramine	4	Fluorescein and Benoxinate	9
Alpha₁ Blocker		Angiotensin II Receptor Blocker	
Alfuzosin	2	Losartan	12
Prazosin	15	Losartan and Hydrochlorothiazide	12
Tamsulosin	18	Telmisartan	18
Terazosin	18	Telmisartan and Hydrochlorothiazide	18
Alpha₂-Adrenergic Agonist		Valsartan	19
ClonIDine	5	Valsartan and Hydrochlorothiazide	19
GuanFACINE	10	Angiotensin-Converting Enzyme (ACE) Inhibitor	
Methyldopa	13	Amlodipine and Benazepril	2
Alpha₂ Agonist, Ophthalmic		Benazepril	3
Brimonidine and Timolol	4	Captopril	4
Brimonidine (Ophthalmic)	4	Lisinopril	12
Alpha-Adrenergic Agonist		Lisinopril and Hydrochlorothiazide	12
Phenylephrine (Ophthalmic)	15	Ramipril	16
Alpha/Beta Agonist		Anilidopiperidine Opioid	
EPINEPHrine (Systemic)	7	FentaNYL	8
Guaifenesin and Pseudoephedrine	10	Remifentanil	16
Pseudoephedrine	16	Antacid	
5 Alpha-Reductase Inhibitor		Aluminum Hydroxide, Magnesium Hydroxide, and Simethicone	2
Finasteride	8	Magnesium Hydroxide	12
Amebicide		Sodium Bicarbonate	17
MetroNIDAZOLE (Systemic)	13	Anthelmintic	
Aminoquinoline (Antimalarial)		Albendazole	2
Chloroquine	4	Antianginal Agent	
Hydroxychloroquine	10	AmLODIPine	2
Primaquine	16	Amlodipine and Benazepril	2
5-Aminosalicylic Acid Derivative		Atenolol	3
Mesalamine	12	DiITIAZem	6
SulfaSALazine	17	Isosorbide Dinitrate	11
Ammonium Detoxicant		Isosorbide Mononitrate	11
Lactulose	11	Metoprolol	13
Neomycin	13	Nadolol	13
Analgesic Combination (Opioid)		NiCARDipine	14
Acetaminophen and Codeine	2	NIFEdipine	14
Acetaminophen and Tramadol	2	Nitroglycerin	14
Hydrocodone and Acetaminophen	10	Propranolol	16
Hydrocodone and Ibuprofen	10	Verapamil	19
Oxycodone and Acetaminophen	15	Antianxiety Agent, Miscellaneous	
Analgesic, Nonopioid		BusPIRone	4
Acetaminophen	2	Antiarrhythmic Agent, Class II	
Aspirin	3	Propranolol	16
Butalbital, Acetaminophen, and Caffeine	4	Antiarrhythmic Agent, Class III	
Diclofenac (Systemic)	6	Amiodarone	2
Etodolac	8	Dronedarone	7
Ibuprofen	10	Antiarrhythmic Agent, Class IV	
Ketorolac (Systemic)	11	DiITIAZem	6
Meloxicam	12	Verapamil	19
Naproxen	13	Antiarrhythmic Agent, Miscellaneous	
Piroxicam (Systemic)	15	Digoxin	6
Analgesic, Opioid		Antibiotic, Aminoglycoside	
Acetaminophen and Codeine	2	Gentamicin (Ophthalmic)	9
Acetaminophen and Tramadol	2	Gentamicin (Topical)	9
Codeine	5	Neomycin	13
FentaNYL	8	Tobramycin (Ophthalmic)	18
Hydrocodone and Acetaminophen	10	Tobramycin (Oral Inhalation)	18
Methadone	12	Tobramycin (Systemic)	18

Antibiotic, Cephalosporin (First Generation)		Anticholinergic Agent	
Cephalexin	4	Benztropine	3
Antibiotic, Cephalosporin (Second Generation)		Dicyclomine	6
Cefprozil	4	Hyoscyamine	10
Antibiotic, Cephalosporin (Third Generation)		Hyoscyamine, Atropine, Scopolamine, and Phenobarbital	10
Cefdinir	4	Ipratropium and Albuterol	11
Cefpodoxime	4	Ipratropium (Nasal)	11
Antibiotic/Corticosteroid, Ophthalmic		Ipratropium (Oral Inhalation)	11
Loteprednol and Tobramycin	12	Scopolamine	17
Neomycin, Polymyxin B, and Dexamethasone	13	Scopolamine (Ophthalmic)	17
Neomycin, Polymyxin B, and Hydrocortisone (Ophthalmic)	14	Tiotropium	18
Sulfacetamide and Prednisolone	17	Tolterodine	18
Tobramycin and Dexamethasone	18	Trihexyphenidyl	19
Antibiotic/Corticosteroid, Otic		Anticholinergic Agent, Long-Acting	
Ciprofloxacin and Dexamethasone	4	Tiotropium	18
Neomycin, Polymyxin B, and Hydrocortisone (Otic)	14	Anticholinergic Agent, Ophthalmic	
Antibiotic, Fluoroquinolone		Atropine (Ophthalmic)	3
Ciprofloxacin (Systemic)	5	Cyclopentolate	5
Gatifloxacin	9	Scopolamine (Ophthalmic)	17
LevoFLOXacin (Systemic)	11	Anticoagulant	
Moxifloxacin (Ophthalmic)	13	Enoxaparin	7
Ofloxacin (Ophthalmic)	14	Warfarin	19
Ofloxacin (Otic)	14	Anticoagulant, Low Molecular Weight Heparin	
Antibiotic, Lincosamide		Enoxaparin	7
Clindamycin (Systemic)	5	Anticoagulant, Vitamin K Antagonist	
Clindamycin (Topical)	5	Warfarin	19
Antibiotic, Macrolide		Anticonvulsant, Barbiturate	
Azithromycin (Systemic)	3	PHENobarbital	15
Clarithromycin	5	Anticonvulsant, Benzodiazepine	
Erythromycin (Ophthalmic)	7	Clonazepam	5
Erythromycin (Systemic)	7	Diazepam	6
Erythromycin (Topical)	7	LORazepam	12
Antibiotic, Miscellaneous		Anticonvulsant, Hydantoin	
Dapsone (Systemic)	5	Phenytoin	15
Fosfomycin	9	Anticonvulsant, Miscellaneous	
MetroNIDAZOLE (Systemic)	13	AcetaZOLAMIDE	2
Nitrofurantoin	14	CarBAMazepine	4
Sulfamethoxazole and Trimethoprim	17	Gabapentin	9
Antibiotic, Ophthalmic		LamotrIlgine	11
Bacitracin, Neomycin, and Polymyxin B (Ophthalmic)	3	Magnesium Sulfate	12
Erythromycin (Ophthalmic)	7	OXcarbazepine	14
Gatifloxacin	9	Primidone	16
Gentamicin (Ophthalmic)	9	Topiramate	18
Moxifloxacin (Ophthalmic)	13	Valproic Acid and Derivatives	19
Neomycin, Polymyxin B, and Gramicidin	14	Antidepressant, Alpha-2 Antagonist	
Neomycin, Polymyxin B, and Hydrocortisone (Ophthalmic)	14	Mirtazapine	13
Ofloxacin (Ophthalmic)	14	Antidepressant, Dopamine/Norepinephrine-Reuptake Inhibitor	
Sulfacetamide (Ophthalmic)	17	BuPROPion	4
Tobramycin (Ophthalmic)	18	Antidepressant, Selective Serotonin Reuptake Inhibitor	
Trimethoprim and Polymyxin B	19	Citalopram	5
Antibiotic, Oral Rinse		Escitalopram	7
Chlorhexidine Gluconate (Oral)	4	FLUoxetine	9
Antibiotic, Otic		PARoxetine	15
Ciprofloxacin and Dexamethasone	4	Sertraline	17
Neomycin, Polymyxin B, and Hydrocortisone (Otic)	14	Antidepressant, Serotonin/Norepinephrine Reuptake Inhibitor	
Ofloxacin (Otic)	14	Venlafaxine	19
Antibiotic, Penicillin		Antidepressant, Serotonin Reuptake Inhibitor/Antagonist	
Amoxicillin	3	TraZODone	18
Amoxicillin and Clavulanate	3	Antidepressant, Tricyclic (Secondary Amine)	
Dicloxacillin	6	Desipramine	6
Penicillin V Potassium	15	Nortriptyline	14
Antibiotic, Respiratory Fluoroquinolone		Antidepressant, Tricyclic (Tertiary Amine)	
LevoFLOXacin (Systemic)	11	Amitriptyline	2
Antibiotic, Sulfonamide Derivative		ClomiPRAMINE	5
Sulfamethoxazole and Trimethoprim	17	Doxepin (Systemic)	7
Antibiotic, Tetracycline Derivative		Imipramine	10
Doxycycline	7	Antidiabetic Agent, Alpha-Glucosidase Inhibitor	
Minocycline (Systemic)	13	Acarbose	2
Tetracycline (Systemic)	18	Antidiabetic Agent, Biguanide	
Antibiotic, Topical		MetFORMIN	12
Bacitracin (Topical)	3	Sitagliptin and Metformin	17
Erythromycin (Topical)	7	Antidiabetic Agent, Dipeptidyl Peptidase 4 (DPP-4) Inhibitor	
Gentamicin (Topical)	9	SItagliptin	17
MetroNIDAZOLE (Topical)	13	Sitagliptin and Metformin	17
Mupirocin	13		
Silver Sulfadiazine	17		

ANTIDIABETIC AGENT, DOPAMINE AGONIST

Antidiabetic Agent, Dopamine Agonist		
Bromocriptine	4	
Antidiabetic Agent, Glucagon-Like Peptide-1 (GLP-1) Receptor Agonist		
Exenatide	8	
Antidiabetic Agent, Sodium-Glucose Cotransporter 2 (SGLT2) Inhibitor		
Empagliflozin	7	
Antidiabetic Agent, Sulfonylurea		
GlipiZIDE	9	
GlyBURIDE	9	
Antidiabetic Agent, Thiazolidinedione		
Pioglitazone	15	
Antidiarrheal		
Bismuth Subsalicylate	3	
Diphenoxylate and Atropine	6	
Loperamide	12	
Antidote		
Glucagon	9	
Potassium Iodide	15	
Antidote, Extravasation		
Nitroglycerin	14	
Terbutaline	18	
Antidote, Hypoglycemia		
Glucagon	9	
Antiemetic		
DexAMETHasone (Systemic)	6	
HydrOXYzine	10	
Meclizine	12	
Metoclopramide	13	
Ondansetron	14	
Prochlorperazine	16	
Promethazine	16	
Antiflatulent		
Aluminum Hydroxide, Magnesium Hydroxide, and Simethicone	2	
Simethicone	17	
Antifungal Agent, Azole Derivative		
Terconazole	18	
Voriconazole	19	
Antifungal Agent, Imidazole Derivative		
Clotrimazole (Oral)	5	
Clotrimazole (Topical)	5	
Ketoconazole (Systemic)	11	
Ketoconazole (Topical)	11	
Miconazole (Topical)	13	
Antifungal Agent, Oral		
Fluconazole	8	
Griseofulvin	10	
Ketoconazole (Systemic)	11	
Terbinafine (Systemic)	18	
Voriconazole	19	
Antifungal Agent, Oral Nonabsorbed		
Clotrimazole (Oral)	5	
Antifungal Agent, Oral Nonabsorbed/Partially Absorbed		
Clotrimazole (Topical)	5	
Miconazole (Topical)	13	
Nystatin (Oral)	14	
Antifungal Agent, Parenteral		
Fluconazole	8	
Voriconazole	19	
Antifungal Agent, Topical		
Betamethasone and Clotrimazole	3	
Clotrimazole (Topical)	5	
Ketoconazole (Topical)	11	
Miconazole (Topical)	13	
Nystatin and Triamcinolone	14	
Nystatin (Topical)	14	
Tolnaftate	18	
Antifungal Agent, Vaginal		
Clotrimazole (Topical)	5	
Miconazole (Topical)	13	
Terconazole	18	
Antigout Agent		
Allopurinol	2	
Colchicine	5	
Antihemophilic Agent		
Desmopressin	6	
Antihemorrhoidal Agent		
Dibucaine	6	
Hydrocortisone (Topical)	10	
Zinc Oxide	19	
Antihypertensive		
AmLODIPine	2	
Amlodipine and Benazepril	2	
Atenolol	3	
Benazepril	3	
Captopril	4	
Carvedilol	4	
Chlorthalidone	4	
CloNIDine	5	
DiITIAZem	6	
Furosemide	9	
GuanFACINE	10	
HydrALAZINE	10	
HydroCHLOROthiazide	10	
Hydrochlorothiazide and Triamterene	10	
Indapamide	10	
Labetalol	11	
Lisinopril	12	
Lisinopril and Hydrochlorothiazide	12	
Losartan	12	
Losartan and Hydrochlorothiazide	12	
Methyldopa	13	
Metoprolol	13	
Minoxidil (Systemic)	13	
Nadolol	13	
NiCARDipine	14	
NIFEdipine	14	
Prazosin	15	
Propranolol	16	
Ramipril	16	
Spironolactone	17	
Telmisartan	18	
Telmisartan and Hydrochlorothiazide	18	
Terazosin	18	
Valsartan	19	
Valsartan and Hydrochlorothiazide	19	
Verapamil	19	
Anti-inflammatory Agent		
DexAMETHasone (Systemic)	6	
Antileptic Agent, 2-Azetidinone		
Ezetimibe	8	
Antileptic Agent, Bile Acid Sequestrant		
Cholestyramine Resin	4	
Colestipol	5	
Antileptic Agent, Fibric Acid		
Fenofibrate and Derivatives	8	
Gemfibrozil	9	
Antileptic Agent, HMG-CoA Reductase Inhibitor		
AtorvaSTATin	3	
Pravastatin	15	
Rosuvastatin	16	
Simvastatin	17	
Antileptic Agent, Miscellaneous		
Niacin	14	
Antileptic Agent, Omega-3 Fatty Acids		
Omega-3 Fatty Acids	14	
Antileptic Agent, PCSK9 Inhibitor		
Evolocumab	8	
Antimalarial Agent		
Artemether and Lumefantrine	3	
Chloroquine	4	
Hydroxychloroquine	10	
Primaquine	16	
Antimanic Agent		
ChlorproMAZINE	4	
Lithium	12	
OLANZapine	14	
RisperiDONE	16	
Valproic Acid and Derivatives	19	

Antimigraine Agent		Pyrazinamide	16
Erenumab	7	RifAMPin	16
Rizatriptan	16	Antitussive	
SUMatriptan	17	Benzonatate	3
ZOLmitriptan	19	Codeine	5
Antineoplastic Agent, Antimetabolite		Guaifenesin and Dextromethorphan	10
Fluorouracil (Topical)	9	Promethazine and Dextromethorphan	16
Antineoplastic Agent, Antimetabolite (Antifolate)		Antiviral Agent	
Methotrexate	13	Acyclovir (Systemic)	2
Antineoplastic Agent, Antimetabolite (Pyrimidine Analog)		Amantadine	2
Fluorouracil (Topical)	9	Oseltamivir	14
Antineoplastic Agent, Estrogen Receptor Antagonist		ValACYclovir	19
Tamoxifen	18	Antiviral Agent, Adamantane	
Antineoplastic Agent, Gonadotropin-Releasing Hormone Agonist		Amantadine	2
Goserelin	10	Antiviral Agent, Ophthalmic	
Leuprolide	11	Ganciclovir (Ophthalmic)	9
Antineoplastic Agent, Miscellaneous		Trifluridine	19
Hydroxyurea	10	Antiviral Agent, Oral	
Antiparasitic Agent, Topical		ValACYclovir	19
Permethrin	15	Antiviral Agent, Topical	
Anti-Parkinson Agent, Anticholinergic		Acyclovir (Topical)	2
Benztropine	3	Barbiturate	
Trihexyphenidyl	19	Butalbital, Acetaminophen, and Caffeine	4
Anti-Parkinson Agent, COMT Inhibitor		Butalbital, Aspirin, and Caffeine	4
Entacapone	7	PHENobarbital	15
Anti-Parkinson Agent, Decarboxylase Inhibitor		Primidone	16
Carbidopa and Levodopa	4	Benzodiazepine	
Anti-Parkinson Agent, Dopamine Agonist		ALPRAZolam	2
Amantadine	2	Clidinium and Chlordiazepoxide	5
Bromocriptine	4	Clonazepam	5
Pramipexole	15	Diazepam	6
Anti-Parkinson Agent, Dopamine Precursor		LORazepam	12
Carbidopa and Levodopa	4	Temazepam	18
Antiplatelet Agent		Triazolam	18
Aspirin	3	Beta₂-Adrenergic Agonist	
Clopidogrel	5	Ipratropium and Albuterol	11
Dipyridamole	6	Beta₂-Adrenergic Agonist, Long-Acting	
Antiplatelet Agent, Thienopyridine		Fluticasone and Salmeterol	9
Clopidogrel	5	Salmeterol	16
Antiprotozoal, Nitroimidazole		Beta₂ Agonist	
MetroNIDAZOLE (Systemic)	13	Albuterol	2
Antiretroviral, Reverse Transcriptase Inhibitor, Non-nucleoside (Anti-HIV)		Fluticasone and Salmeterol	9
Efavirenz, Emtricitabine, and Tenofovir	7	Levalbuterol	11
Antiretroviral, Reverse Transcriptase Inhibitor, Nucleoside (Anti-HIV)		Salmeterol	16
Efavirenz, Emtricitabine, and Tenofovir	7	Terbutaline	18
Emtricitabine and Tenofovir Disoproxil Fumarate	7	Beta-Adrenergic Blocker, Nonselective	
Antiretroviral, Reverse Transcriptase Inhibitor, Nucleotide (Anti-HIV)		Dorzolamide and Timolol	7
Efavirenz, Emtricitabine, and Tenofovir	7	Propranolol	16
Emtricitabine and Tenofovir Disoproxil Fumarate	7	Beta-Blocker, Beta-1 Selective	
Antirheumatic, Disease Modifying		Atenolol	3
Adalimumab	2	Metoprolol	13
Methotrexate	13	Beta-Blocker, Nonselective	
Antiseborrheic Agent, Topical		Brimonidine and Timolol	4
Selenium Sulfide	17	Nadolol	13
Antispasmodic Agent, Gastrointestinal		Timolol (Ophthalmic)	18
Clidinium and Chlordiazepoxide	5	Beta-Blocker With Alpha-Blocking Activity	
Hyoscyamine, Atropine, Scopolamine, and Phenobarbital	10	Carvedilol	4
Antispasmodic Agent, Urinary		Labetalol	11
FlavoxATE	8	Bisphosphonate Derivative	
Oxybutynin	14	Alendronate	2
Antithyroid Agent		Alendronate and Cholecalciferol	2
MethIMAzole	12	Ibandronate	10
Potassium Iodide	15	Blood Product Derivative	
Propylthiouracil	16	Thrombin (Topical)	18
Antitubercular Agent		Blood Viscosity Reducer Agent	
Ethambutol	8	Pentoxifylline	15
Isoniazid	11	Calcineurin Inhibitor	
		CycloSPORINE (Ophthalmic)	5
		Pimecrolimus	15
		Tacrolimus (Topical)	17
		Calcitonin Gene-Related Peptide (CGRP) Receptor Antagonist	
		Erenumab	7

CALCIUM CHANNEL BLOCKER

Calcium Channel Blocker

AmlODIPine2
 Amlodipine and Benazepril2
 DiTIAZem6
 NiCARdipine14
 NIFEdipine14
 Verapamil19

Calcium Channel Blocker, Dihydropyridine

AmlODIPine2
 Amlodipine and Benazepril2
 NiCARdipine14
 NIFEdipine14

Calcium Channel Blocker, Nondihydropyridine

DiTIAZem6
 Verapamil19

Calcium Salt

Calcium and Vitamin D4

Carbonic Anhydrase Inhibitor

AcetaZOLAMIDE2

Carbonic Anhydrase Inhibitor (Ophthalmic)

Dorzolamide7
 Dorzolamide and Timolol7

Cardiac Glycoside

Digoxin6

Cathartic

Sodium Phosphates17

Central Monoamine-Depleting Agent

Reserpine16

Central Nervous System Stimulant

Dextroamphetamine6
 Dextroamphetamine and Amphetamine6
 Lisdexamfetamine12
 Methylphenidate13

Chloride Channel Activator

Lubiprostone12

Cholinergic Agonist

Acetylcholine2

Contraceptive

Ethinyl Estradiol and Drospirenone8
 Ethinyl Estradiol and Ethynodiol Diacetate8
 Ethinyl Estradiol and Etonogestrel8
 Ethinyl Estradiol and Levonorgestrel8
 Ethinyl Estradiol and Norelgestromin8
 Ethinyl Estradiol and Norethindrone8
 Ethinyl Estradiol and Norgestimate8
 Ethinyl Estradiol and Norgestrel8
 Levonorgestrel (Systemic)11
 MedroxyPROGESTERone12
 Norethindrone14
 Ulipristal19

Corticosteroid, Inhalant (Oral)

Budesonide (Oral Inhalation)4
 Fluticasone and Salmeterol9
 Fluticasone (Oral Inhalation)9
 Mometasone (Oral Inhalation)13

Corticosteroid, Nasal

Fluticasone (Nasal)9
 Mometasone (Nasal)13

Corticosteroid, Ophthalmic

Fluorometholone9
 Loteprednol12
 Neomycin, Polymyxin B, and Hydrocortisone (Ophthalmic)14
 PrednisolONE (Ophthalmic)15

Corticosteroid, Otic

Ciprofloxacin and Dexamethasone4
 Neomycin, Polymyxin B, and Hydrocortisone (Otic)14

Corticosteroid, Rectal

Hydrocortisone (Topical)10

Corticosteroid, Systemic

DexAMETHasone (Systemic)6
 Fludrocortisone8
 Hydrocortisone (Systemic)10
 MethylPREDNISolone13
 PrednisolONE (Systemic)15
 PredniSONE15

Corticosteroid, Topical

Amcinonide2
 Betamethasone and Clotrimazole3
 Betamethasone (Topical)3
 Clobetasol5
 Desonide6
 Fluocinonone (Topical)8
 Fluocinonide8
 Flurandrenolide9
 Hydrocortisone (Topical)10
 Nystatin and Triamcinolone14
 Triamcinolone (Topical)18

Decongestant

Oxymetazoline (Nasal)15
 Pseudoephedrine16

Depigmenting Agent

Hydroquinone10

Diagnostic Agent

Fluorescein and Benoxinate9
 Glucagon9

Diuretic, Carbonic Anhydrase Inhibitor

AcetaZOLAMIDE2

Diuretic, Loop

Ethacrynic Acid7
 Furosemide9

Diuretic, Potassium-Sparing

Hydrochlorothiazide and Triamterene10
 Spironolactone17

Diuretic, Thiazide

HydroCHLOROthiazide10
 Hydrochlorothiazide and Triamterene10
 Lisinopril and Hydrochlorothiazide12
 Losartan and Hydrochlorothiazide12
 Telmisartan and Hydrochlorothiazide18
 Valsartan and Hydrochlorothiazide19

Diuretic, Thiazide-Related

Chlorthalidone4
 Indapamide10
 MetOLazone13

Dopamine Antagonist

Metoclopramide13

Electrolyte Supplement, Oral

Calcium and Vitamin D4
 Magnesium Oxide12
 Potassium Chloride15
 Sodium Bicarbonate17

Electrolyte Supplement, Parenteral

Magnesium Sulfate12
 Potassium Chloride15
 Sodium Bicarbonate17
 Sodium Chloride17
 Sodium Phosphates17

Enzyme

Pancrelipase15

Ergot Derivative

Bromocriptine4
 Methylergonovine13

Estrogen and Progestin Combination

Estrogens (Conjugated/Equine) and Medroxyprogesterone7
 Ethinyl Estradiol and Drospirenone8
 Ethinyl Estradiol and Ethynodiol Diacetate8
 Ethinyl Estradiol and Etonogestrel8
 Ethinyl Estradiol and Levonorgestrel8
 Ethinyl Estradiol and Norelgestromin8
 Ethinyl Estradiol and Norethindrone8
 Ethinyl Estradiol and Norgestimate8
 Ethinyl Estradiol and Norgestrel8

Estrogen Derivative

Estradiol (Systemic)7
 Estrogens (Conjugated/Equine, Systemic)7
 Estrogens (Conjugated/Equine, Topical)7

Ethanolamine Derivative

DiphenhydrAMINE (Systemic)6

Expectorant

Guaifenesin and Dextromethorphan10

Guaifenesin and Pseudoephedrine	10	Immunosuppressant Agent	
Potassium Iodide	15	CycloSPORINE (Ophthalmic)	5
First Generation (Typical) Antipsychotic		Methotrexate	13
ChlorproMAZINE	4	Pimecrolimus	15
Haloperidol	10	Sirolimus	17
Prochlorperazine	16	Tacrolimus (Topical)	17
GABA Analog		Inhalation, Miscellaneous	
Gabapentin	9	Inhalation Devices	10
Gastrointestinal Agent, Miscellaneous		Insulin, Combination	
Adalimumab	2	Insulin Aspart Protamine and Insulin Aspart	10
LinaCLOtide	12	Insulin NPH and Insulin Regular	11
Lubiprostone	12	Insulin, Intermediate-Acting	
Sucralfate	17	Insulin NPH	11
Gastrointestinal Agent, Prokinetic		Insulin, Long-Acting	
Metoclopramide	13	Insulin Detemir	10
General Anesthetic		Insulin Glargine	11
FentaNYL	8	Insulin, Rapid-Acting	
Genitourinary Irrigant		Insulin Aspart	10
Acetic Acid (Topical)	2	Insulin, Short-Acting	
Sodium Chloride	17	Insulin Regular	11
Glutamate Inhibitor		Iron Preparations	
Riluzole	16	Ferrous Sulfate	8
Glycopeptide		Irrigant	
Vancomycin	19	Sodium Chloride	17
Gonadotropin Releasing Hormone Agonist		Keratolytic Agent	
Goserelin	10	Podofilox	15
Leuprolide	11	Trichloroacetic Acid	18
Growth Hormone		Urea (Topical)	19
Somatropin	17	Laxative	
Guanylate Cyclase-C (GC-C) Agonist		Magnesium Hydroxide	12
LinaCLOtide	12	Laxative, Bowel Evacuant	
Hemostatic Agent		Sodium Phosphates	17
Aluminum Chloride Hexahydrate	2	Laxative, Osmotic	
Collagen Hemostat	5	Glycerin	9
Desmopressin	6	Lactulose	11
Thrombin (Topical)	18	Polyethylene Glycol 3350	15
Histamine H₁ Antagonist		Polyethylene Glycol-Electrolyte Solution	15
Bepotastine	3	Laxative, Stimulant	
Chlorpheniramine	4	Bisacodyl	3
Cyproheptadine	5	Leukotriene-Receptor Antagonist	
DiphenhydrAMINE (Systemic)	6	Montelukast	13
Fexofenadine	8	Local Anesthetic	
HydrOXYzine	10	Benzocaine	3
Meclizine	12	Benzocaine, Butamben, and Tetracaine	3
Olopatadine (Ophthalmic)	14	Cocaine (Topical)	5
Promethazine	16	Dibucaine	6
Promethazine and Dextromethorphan	16	Lidocaine and Prilocaine	11
Histamine H₁ Antagonist, First Generation		Lidocaine (Topical)	11
Chlorpheniramine	4	Local Anesthetic, Ophthalmic	
Cyproheptadine	5	Proparacaine	16
DiphenhydrAMINE (Systemic)	6	Lubricant, Ocular	
HydrOXYzine	10	Sodium Chloride	17
Meclizine	12	Magnesium Salt	
Promethazine	16	Magnesium Hydroxide	12
Promethazine and Dextromethorphan	16	Magnesium Oxide	12
Histamine H₁ Antagonist, Second Generation		Magnesium Sulfate	12
Bepotastine	3	Mast Cell Stabilizer	
Fexofenadine	8	Bepotastine	3
Olopatadine (Ophthalmic)	14	Cromolyn (Nasal)	5
Histamine H₂ Antagonist		Cromolyn (Ophthalmic)	5
Famotidine	8	Melatonin Receptor Agonist	
RaNITidine (Withdrawn From US Market)	16	Ramelteon	16
Histone Deacetylase Inhibitor		Mineralocorticoid (Aldosterone) Receptor Antagonists	
Valproic Acid and Derivatives	19	Spiroonolactone	17
Hormone, Posterior Pituitary		Miscellaneous Product	
Desmopressin	6	Diabetic Supplies	6
Hypnotic, Miscellaneous		Monoclonal Antibody	
Eszopiclone	7	Adalimumab	2
Ramelteon	16	Evolocumab	8
Zolpidem	19	Monoclonal Antibody, CGRP Antagonist	
Imidazoline Derivative		Erenumab	7
Oxymetazoline (Nasal)	15		

MTOR KINASE INHIBITOR

mTOR Kinase Inhibitor			
Sirolimus	17	Promethazine	16
Neuraminidase Inhibitor		Promethazine and Dextromethorphan	16
Oseltamivir	14	Phosphodiesterase-5 Enzyme Inhibitor	
Neuromuscular Blocker Agent, Nondepolarizing		Sildenafil	17
Atracurium	3	Phosphodiesterase Enzyme Inhibitor, Nonselective	
N-Methyl-D-Aspartate (NMDA) Receptor Antagonist		Theophylline	18
Memantine	12	Piperazine Derivative	
Nonsteroidal Anti-inflammatory Drug (NSAID)		HydroXYzine	10
Diclofenac (Systemic)	6	Meclizine	12
Diclofenac (Topical)	6	Piperidine Derivative	
Nonsteroidal Anti-inflammatory Drug (NSAID), Ophthalmic		Cyproheptadine	5
Flurbiprofen (Ophthalmic)	9	Fexofenadine	8
Ketorolac (Ophthalmic)	11	Olopatadine (Ophthalmic)	14
Nepafenac	14	Progestin	
Nonsteroidal Anti-inflammatory Drug (NSAID), Oral		Levonorgestrel (Systemic)	11
Aspirin	3	MedroxyPROGESTERone	12
Diclofenac (Systemic)	6	Norethindrone	14
Etodolac	8	Progesterone	16
Hydrocodone and Ibuprofen	10	Progestin Receptor Modulator	
Ibuprofen	10	Ulipristal	19
Ketorolac (Systemic)	11	Prostaglandin	
Meloxicam	12	MiSOPROStol	13
Naproxen	13	Prostaglandin, Ophthalmic	
Piroxicam (Systemic)	15	Latanoprost	11
Nonsteroidal Anti-inflammatory Drug (NSAID), Parenteral		Protectant, Topical	
Ibuprofen	10	Trypsin, Balsam Peru, and Castor Oil	19
Ketorolac (Systemic)	11	Proton Pump Inhibitor	
Meloxicam	12	Omeprazole	14
Nonsteroidal Anti-inflammatory Drug (NSAID), Topical		Pantoprazole	15
Diclofenac (Topical)	6	RABEprazole	16
Norepinephrine Reuptake Inhibitor, Selective		Psoralen	
AtoMOXetine	3	Methoxsalen (Topical)	13
Nutritional Supplement		Rauwolfia Alkaloid	
Fluoride	9	Reserpine	16
Ophthalmic Agent		Retinoic Acid Derivative	
Fluorescein and Benoxinate	9	Tretinoin (Topical)	18
Ophthalmic Agent, Antiglaucoma		Rifamycin	
AcetaZOLAMIDE	2	RifAMPin	16
Brimonidine and Timolol	4	Salicylate	
Brimonidine (Ophthalmic)	4	Aspirin	3
Dorzolamide	7	Salsalate	16
Dorzolamide and Timolol	7	Scabicial Agent	
Latanoprost	11	Crotamiton	5
Pilocarpine (Ophthalmic)	15	Permethrin	15
Timolol (Ophthalmic)	18	Second Generation (Atypical) Antipsychotic	
Ophthalmic Agent, Miotic		ARIPiprazole	3
Acetylcholine	2	OLANZapine	14
Pilocarpine (Ophthalmic)	15	QUETiapine	16
Ophthalmic Agent, Miscellaneous		RisperiDONE	16
Artificial Tears	3	Ziprasidone	19
Ophthalmic Agent, Mydriatic		Selective 5-HT₃ Receptor Antagonist	
Atropine (Ophthalmic)	3	Ondansetron	14
Cyclopentolate and Phenylephrine	5	Selective Estrogen Receptor Modulator (SERM)	
Phenylephrine (Ophthalmic)	15	ClomiPHENE	5
Scopolamine (Ophthalmic)	17	Raloxifene	16
Tropicamide	19	Tamoxifen	18
Otic Agent, Anti-infective		Serotonin 5-HT_{1B, 1D} Receptor Agonist	
Acetic Acid and Hydrocortisone	2	Rizatriptan	16
Acetic Acid (Otic)	2	SUMAtriptan	17
Aluminum Acetate and Acetic Acid	2	ZOLMitriptan	19
Ovulation Stimulator		Serotonin 5-HT₄ Receptor Agonist	
ClomiPHENE	5	Metoclopramide	13
P2Y₁₂ Antagonist		Skeletal Muscle Relaxant	
Clopidogrel	5	Baclofen	3
Partial Nicotine Agonist		Carisoprodol	4
Varenicline	19	Cyclobenzaprine	5
Pediculocide		Methocarbamol	12
Permethrin	15	Skin and Mucous Membrane Agent	
Phenothiazine Derivative		Imiquimod	10
ChlorproMAZINE	4	Smoking Cessation Aid	
Prochlorperazine	16	BuPROPion	4

Nicotine	14		
Varenicline	19		
Sodium-Glucose Cotransporter 2 (SGLT2) Inhibitor			
Empagliflozin	7		
Sodium Salt			
Sodium Chloride	17		
Stool Softener			
Docusate	6		
Substituted Benzimidazole			
Omeprazole	14		
Pantoprazole	15		
RABEprazole	16		
Thioamide			
MethIMazole	12		
Propylthiouracil	16		
Thyroid Product			
Levothyroxine	11		
Liothyronine	12		
Thyroid, Desiccated	18		
Topical Skin Product			
Aluminum Chloride Hexahydrate	2		
Benzoyl Peroxide	3		
Calcipotriene	4		
Camphor and Menthol	4		
Capsaicin	4		
Cleansing Lotion	5		
Erythromycin (Topical)	7		
Fluorouracil (Topical)	9		
Imiquimod	10		
Lactic Acid and Ammonium Hydroxide	11		
Pimecrolimus	15		
Podofilox	15		
Selenium Sulfide	17		
Tacrolimus (Topical)	17		
Urea (Topical)	19		
Zinc Oxide	19		
Topical Skin Product, Acne			
Benzoyl Peroxide	3		
Clindamycin (Topical)	5		
Erythromycin (Topical)	7		
Tretinoin (Topical)	18		
Transient Receptor Potential Vanilloid 1 (TRPV1) Agonist			
Capsaicin	4		
Tumor Necrosis Factor (TNF) Blocking Agent			
Adalimumab	2		
Uricosuric Agent			
Probenecid	16		
Vaccine			
Typhoid Vaccine	19		
Vaccine, Inactivated (Bacterial)			
Typhoid Vaccine	19		
Vaccine, Live (Bacterial)			
Typhoid Vaccine	19		
Vasodilator			
Dipyridamole	6		
HydrALAZINE	10		
Isosorbide Dinitrate	11		
Isosorbide Mononitrate	11		
Nitroglycerin	14		
Vasodilator, Direct-Acting			
Minoxidil (Systemic)	13		
Vasopressin Analog, Synthetic			
Desmopressin	6		
Vitamin			
Vitamins (Multiple/Oral)	19		
Vitamin D Analog			
Alendronate and Cholecalciferol	2		
Calcipotriene	4		
Cholecalciferol	4		
Vitamin, Fat Soluble			
Calcium and Vitamin D	4		
Phytonadione	15		
		Vitamin, Water Soluble	
		Ascorbic Acid	3
		Cyanocobalamin	5
		Folic Acid	9
		Niacin	14
		Thiamine	18
		Xanthine Oxidase Inhibitor	
		Allopurinol	2